NOT TO BE ISSUED
OUT OF THE LIBRARY.

V
583.24
Küll Tab
55000

00055000




Digitized with financial assistance from
Government of Maharashtra
on 30 January, 2020

# TABULAE PHYCOLOGICAE

oder

# Abbildungen der Tange.

Herausgegeben

von

**Friedrich Traugott Kützing,**

*Doctor der Philosophie und Professor*

zu Nordhausen.

55000

---

## Index

generum atque specierum.

(Register über sämmtliche Gattungen und Arten, welche in den 19 Bänden der Tabulae phycologicae abgebildet sind.)

**Nordhausen,**

gedruckt auf Kosten des Verfassers.

1871.

00055000

# Vorrede.

Der grosse und gewaltige Krieg zwischen Deutschland und Frankreich hat den Druck dieses Registers verzögert. Jetzt, wo der Friede definitiv abgeschlossen und, wie wir hoffen, auf viele Jahre gesichert ist, wird sich die geistige Thätigkeit wieder ungehindert wissenschaftlichen Arbeiten zuwenden, und es ist mir eine grosse Freude, mein Werk, woran ich so viele Jahre — und zwar die besten meines Lebens — gearbeitet, mit diesem Register völlig abschliessen zu können.

Nordhausen, den 15. Mai 1871.

Der Verfasser.

# Register

über sämmtliche Gattungen und Arten, welche in den 19 Bänden der **Tabulae phycologicae** abgebildet sind.


| | Vol. | pag. |
|---|---|---|
| **A**canthobolus | | |
| brasiliensis | XVIII | 4 |
| Acanthoceras | | |
| azoricum | XII | 30 |
| distans | " | 29 |
| echionotum | " | 29 |
| oxyacanthum | " | 29 |
| Shuttleworthianum | " | 29 |
| transcurrens | " | 29 |
| Acanthococcus | | |
| Ewingii | XVI | 27 |
| subulatus | XIX | 10 |
| Acanthophora | | |
| Antillarum | XV | 27 |
| Delilii | " | 27 |
| militaris | " | 27 |
| muscoides | " | 27 |
| orientalis | " | 27 |
| ramulosa | " | 27 |
| Thierii | " | 27 |
| Acanthotylus | | |
| Heredia | XIX | 28 |
| Acetabularia | | |
| caraibica | VI | 33 |
| crenata | " | 33 |
| mediterranea | " | 32 |
| Acrocarpus | | |
| capitatus | XVIII | 12 |
| corymbosus | " | 13 |
| crinalis | " | 11 |
| delicatulus | " | 12 |
| gracilis | " | 12 |
| intricatus | " | 12 |
| lubricus | " | 11 |
| pulvinatus | " | 13 |
| pusillus | " | 13 |
| ramellosus | " | 12 |
| setaceus | " | 12 |
| spathulatus | " | 13 |
| spinescens | " | 12 |

| | Vol | pag. |
|---|---|---|
| Acrocladus | | |
| mediterraneus | VI | 32 |
| Acroneuron | | |
| australe | XVI | 27 |
| Acropeltis | | |
| australis | XIX | 12 |
| elata | " | 13 |
| phyllophora | " | 13 |
| Acrosorium | | |
| aglaophylloides | XIX | 4 |
| Acrotylus | | |
| australis | XIX | 13 |
| Actinocephalus | | |
| partitus | I | 31 |
| Actinococcus | | |
| roseus | I | 22 |
| Adenocystis | | |
| Lessonii | VIII | 8 |
| Aegagropila | | |
| Agardhii | IV | 13 |
| Braunii | " | 13 |
| Coelothrix | " | 15 |
| composita | " | 14 |
| conglobata | " | 15 |
| cornea | " | 13 |
| corynarthra | " | 15 |
| Echinus | " | 13 |
| enormis | " | 15 |
| flaccida | " | 16 |
| Forscalii | " | 14 |
| fuliginosa | " | 14 |
| herpestica | " | 14 |
| holsatica | " | 13 |
| Leprieurii | " | 12 |
| Linnaei | " | 13 |
| Martensii | " | 13 |
| membranacea | " | 14 |
| Meneghiniana | " | 15 |
| modonensis | " | 14 |

| | Vol. | pag. |
|---|---|---|
| **Aegagropila** | | |
| Montagneana | IV | 14 |
| muscoides | " | 13 |
| patentiramea | " | 15 |
| repens | " | 15 |
| Sauteri | " | 13 |
| socialis | " | 15 |
| subtilis | " | 15 |
| trichotoma | " | 14 |
| verticillata | " | 14 |
| Zollingeri | " | 14 |
| **Aglaophyllum** | | |
| affine | XIX | 3 |
| chilense | " | 1 |
| ciliolatum | " | 3 |
| confervaceum | XVI | 12 |
| crispum | " | 14 |
| delicatulum | " | 13 |
| denticulatum | " | 13 |
| erosum | XIX | 2 |
| flabellulatum | " | 3 |
| Gunnianum | XVI | 14 |
| heterocarpum | " | 14 |
| maculatum | " | 13 |
| marginale | XIX | 2 |
| multipartitum | " | 3 |
| ocellatum | XVI | 13 |
| pristoideum | XIX | 2 |
| pulchellum | " | 2 |
| punctatum | XVI | 13 |
| Sandrianum | " | 13 |
| undulatum | " | 14 |
| versicolor | " | 14 |
| Vidovichii | " | 12 |
| **Aglaozonia** | | |
| parvula | IX | 31 |
| reptans | " | 31 |
| **Ahnfeldia** | | |
| gigartinoides | XIX | 26 |
| **Ainactis** | | |
| alpina | II | 20 |
| calcarea | " | 20 |
| **Allogonium** | | |
| confervaceum | III | 10 |
| Kochianum | " | 10 |
| tergestinum | " | 10 |
| **Alsidium** | | |
| corallinum | XV | 12 |
| Helmintochorton | " | 13 |
| lanciferum | " | 13 |

| | Vol. | pag. |
|---|---|---|
| **Alsidium** | | |
| subtile | XV | 13 |
| tenuissimum | " | 13 |
| **Amansia** | | |
| Binderi | " | 2 |
| fasciculata | " | 2 |
| linearis | XIX | 20 |
| multifida | XV | 2 |
| prolifera | XIX | 21 |
| semipennata | XV | 2 |
| **Amphiroa** | | |
| algeriensis | VIII | 21 |
| anceps | " | 24 |
| australis | " | 24 |
| Beauvoisii | " | 21 |
| Bowiesii | " | 21 |
| Bowerbankii | " | 25 |
| breviarticulata | " | 21 |
| charoides | " | 25 |
| cladoniaeformis | " | 20 |
| complanata | " | 20 |
| contracta | " | 24 |
| cretacea | " | 22 |
| cultrata 26 | " | 27 |
| cuspidata | " | 19 |
| dilatata | " | 25 |
| dubia | " | 24 |
| elegans | " | 26 |
| ephedracea | " | 22 |
| exilis | " | 24 |
| firma | " | 29 |
| flabellata | " | 28 |
| fragilissima | " | 18 |
| fusoides | " | 21 |
| Gaillonii | " | 22 |
| galaxauroides | " | 25 |
| Gueinzii | " | 22 |
| heterocladia | " | 28 |
| interrupta | " | 26 |
| involuta | " | 23 |
| irregularis | " | 19 |
| linearis | " | 22 |
| multifida | " | 27 |
| nobilis | " | 25 |
| nodulosa | " | 19 |
| prolifera | " | 28 |
| pustulata | " | 20 |
| rigida | " | 20 |
| sagittata | " | 28 |
| setacea | " | 19 |
| Spina | " | 19 |
| Stangeri | " | 28 |

| | Vol. | pag. |
|---|---|---|
| Amphiroa | | |
| stellata | VIII | 25 |
| stelligera | " | 26 |
| tasmannica | " | 23 |
| Tribulus | " | 22 |
| verrucosa | " | 20 |
| verruculosa | " | 18 |
| Amphithrix | | |
| amethystea | I | 45 |
| amoena | " | 45 |
| barbata | " | 45 |
| crustacea | " | 45 |
| hospita | " | 45 |
| incrustata | " | 45 |
| Meneghiniana | " | 45 |
| rudis | " | 45 |
| thermalis | " | 45 |
| villosa | " | 45 |
| Anabaena | | |
| brevis | " | 50 |
| bullosa | " | 50 |
| calida | " | 51 |
| chalybea | " | 50 |
| cuticularis | " | 50 |
| debilis | " | 51 |
| distans | " | 50 |
| flos aquae | " | 51 |
| granularis | " | 51 |
| Hederulae | " | 50 |
| infusionum | " | 51 |
| intricata | " | 50 |
| marina | " | 50 |
| microscopica | " | 51 |
| mollis | " | 50 |
| neapolitana | " | 50 |
| nodularia | " | 50 |
| obsoleta | " | 51 |
| punctata | " | 50 |
| rudis | " | 50 |
| stagnalis | " | 50 |
| subtilissima | " | 49 |
| vialis | " | 50 |
| Anacystis | I | 7 |
| marginata | " | 6 |
| Anadyomene | | |
| flabellata | VII | 9 |
| Anthophycus | | |
| longifolius | X | 23 |
| Apiocystis | | |
| Brauniana | VI | 24 |
| Apophlaea Sinclairii | XIX | 6 |

| | Vol. | pag. |
|---|---|---|
| Areschougia | | |
| australis | XIX | 3 |
| Arthrocladia | | |
| australis | X | 1 |
| septentrionalis | " | 1 |
| villosa | " | 1 |
| Arthrosiphon | | |
| densus | II | 8 |
| Grevillii | " | 8 |
| Ascothamnion | | |
| intricatum | VI | 31 |
| Asparagopsis Delilei | XIV | 32 |
| Asperocaulon | | |
| compressum | " | 32 |
| Asperococcus | | |
| compressus | XI | 21 |
| Durvillaei | " | 3 |
| fistulosus | " | 3 |
| pusillus | " | 4 |
| tortilis | " | 3 |
| Astasia nivalis | I | 1 |
| Asterothrix | | |
| microscopica | " | 42 |
| Baileya | | |
| americana | VII | 35 |
| Ballia | | |
| Callitricha | XII | 12 |
| Hombronii | " | 12 |
| Prieurii | " | 12 |
| Scoparia | " | 3 |
| Bangia | | |
| amethystina | III | 8 |
| atropurpurea | " | 9 |
| aurantia | " | 8 |
| aureola | VI | 14 |
| bidentata | III | 8 |
| coccinea | " | 9 |
| coccinea-purpurea | " | 9 |
| compacta | " | 8 |
| corruscans | " | 9 |
| crispa | " | 8 |
| fusco-purpurea | " | 9 |
| globifera | " | 9 |
| investiens | " | 8 |
| lutea | " | 8 |
| malacensis | " | 8 |
| pallescens | " | 9 |
| pallida | " | 8 |
| parasitica | XIX | 29 |

| | Vol. | pag. |
|---|---|---|
| **Bangia** | | |
| roseo-purpurea | III | 9 |
| subaequalis | " | 8 |
| tenuissima | " | 8 |
| versicolor | " | 8 |
| virescens | II | 32 |
| **Batrachospermum** | | |
| affine | III | 6 |
| americanum | " | 6 |
| claviceps | " | 7 |
| coerulescens | " | 7 |
| detersum | " | 6 |
| dimorphum | VII | 36 |
| giganteum | III | 6 |
| guyanense | " | 7 |
| moniliforme | " | 6 |
| Suevorum | " | 7 |
| vagum | " | 7 |
| **Beggiatoa** | | |
| iridescens | I | 27 |
| leptomitiformis | " | 26 |
| Raineriana | " | 26 |
| **Bindera** | | |
| cupressina | XII | 16 |
| splachnoides | XIX | 7 |
| **Blennothrix** | | |
| vermicularis | I | 49 |
| **Blossevillea** | | |
| botryocystis | X | 26 |
| Brownii | " | 26 |
| campylocoma | " | 28 |
| caudata | " | 27 |
| cephalornithos | " | 29 |
| decipiens | " | 29 |
| dumosa | " | 26 |
| expansa | " | 30 |
| fallax | " | 31 |
| flaccida | " | 29 |
| Grevillii | " | 28 |
| heterophylla | " | 30 |
| intermedia | " | 27 |
| oocystis | " | 29 |
| paniculata | " | 27 |
| paradoxa | " | 31 |
| pectinata | " | 27 |
| penicillifera | " | 28 |
| polycystidea | " | 29 |
| racemosa | " | 30 |
| retroflexa | " | 27 |
| spartioides | " | 28 |
| subfarcinata | " | 26 |

| | Vol. | pag. |
|---|---|---|
| **Blossevillea** | | |
| thyrsigera | X | 29 |
| torulosa | " | 26 |
| uvifera | " | 28 |
| xiphocarpa | " | 30 |
| **Bonnemaisonia** | | |
| apiculata | XV | 12 |
| asparagoides | " | 12 |
| Pilularia | " | 12 |
| **Bostrychia** | | |
| calamistrata | " | 8 |
| calliptera | " | 8 |
| cornigera | " | 9 |
| Harveyi | " | 8 |
| Hookeri | " | 8 |
| intricata | " | 9 |
| Leprieurii | " | 9 |
| mixta | " | 8 |
| monosiphonia | " | 9 |
| pilifera | " | 10 |
| pilulifera | " | 7 |
| radicans | " | 8 |
| rivularis | " | 9 |
| scorpioides | " | 7 |
| sertularina | " | 9 |
| vaga | " | 8 |
| Vieillardi | " | 10 |
| **Botrydina** | | |
| vulgaris | I | 8 |
| **Botrydium** | | |
| argillaceum | VI | 19 |
| pyriforme | " | 20 |
| Wallrothii | " | 20 |
| **Botryocarpa prolifera** | XVI | 3 |
| **Botryococcus** | | |
| Braunii | VI | 25 |
| **Botryocystis** | | |
| Morum | I | 7 |
| Volvox | " | 7 |
| **Botryoglossum** | | |
| platycarpum | XVI | 2 |
| **Bryopsis** | | |
| abietina | VI | 28 |
| adriatica | " | 28 |
| Arbuscula | " | 29 |
| australis | " | 28 |
| Balbisiana | " | 27 |
| caudata | " | 27 |
| cespitosa | " | 26 |
| corymbosa | " | 28 |
| cupressoides | " | 28 |

| | Vol. | pag. |
|---|---|---|
| **Bryopsis** | | |
| dalmatica | VI | 26 |
| dichotoma | " | 27 |
| disticha | " | 27 |
| fastigata | " | 26 |
| flagellata | " | 28 |
| furcellata | " | 26 |
| Gasparrinii | " | 29 |
| Leprieurii | " | 27 |
| muscosa | " | 29 |
| myosuroides | " | 27 |
| Myura | " | 29 |
| penicillata | " | 28 |
| Pennatula | " | 27 |
| plumosa | " | 29 |
| ramulosa | " | 26 |
| Rosae | " | 29 |
| secunda | " | 26 |
| subunalis | " | 30 |
| tenuissima | " | 26 |
| thuyoides | " | 28 |
| **Bryothamnion** | | |
| hypnoides | XV | 12 |
| Lindenbergii | " | 11 |
| ramellosum | " | 11 |
| Seaforthii | " | 11 |
| triangulare | " | 11 |
| **Bulbochaete** | | |
| Brebissonii | IV | 19 |
| Jürgensii | " | 19 |
| minor | " | 19 |
| minutissima | " | 18 |
| parvula | " | 19 |
| setigera | " | 18 |
| **Bulbotrichia** | | |
| botryoides | " | 22 |
| peruana | " | 22 |
| **Calliblepharis** | | |
| ciliata | XVIII | 5 |
| conspersa | XIX | 14 |
| fimbriata | XVIII | 4 |
| jubata | " | 5 |
| ornata | " | 5 |
| **Callithamnion** | | |
| abbreviatum | XI | 26 |
| acanthopterum | " | 26 |
| affine | " | 24 |
| Arbuscula | XIV | 30 |
| barbatum | XI | 23 |
| Batrachospermum | " | 28 |

| | Vol. | pag. |
|---|---|---|
| **Callithamnion** | | |
| Borreri | XI | 23 |
| byssaceum | " | 19 |
| caudatum | " | 25 |
| clandestinum | " | 22 |
| clavatum | " | 21 |
| clavellatum | " | 22 |
| comosum | " | 21 |
| condensatum | " | 28 |
| Crouanii | " | 22 |
| crouanioides | XIV | 32 |
| cruciatum | XI | 28 |
| Daviesii | " | 18 |
| elegans | " | 32 |
| flabellatum | " | 25 |
| flaccidum | " | 27 |
| floccosum | " | 26 |
| floridulum | " | 20 |
| gorgoneum | XII | 1 |
| gracile | XI | 25 |
| gracillimum | " | 23 |
| Grevillii | " | 31 |
| griffithsioides | " | 22 |
| hirtum | XII | 2 |
| humile | XI | 19 |
| interruptum | " | 20 |
| intricatum | " | 20 |
| Lenormandi | " | 18 |
| luxurians | " | 19 |
| micropterum | XII | 1 |
| microscopicum | XI | 19 |
| minutissimum | " | 18 |
| mirabile | " | 20 |
| multifidum | " | 29 |
| myurum | " | 28 |
| nanum | XII | 1 |
| nodulosum | XI | 29 |
| Orbignyanum | " | 29 |
| pedicellatum | " | 21 |
| pedunculatum | " | 22 |
| peregrinum | " | 25 |
| piliferum | " | 18 |
| pinnato-furcatum | XII | 5 |
| planum | XI | 23 |
| Pluma | " | 26 |
| plumosum | " | 24 |
| Plumula | " | 27 |
| polyacanthum | " | 27 |
| Ptilota | " | 27 |
| Pubes | " | 18 |
| pygmaeum | " | 19 |
| Pylaisii | " | 29 |
| ramellosum | " | 19 |

| | Vol. | pag. |
|---|---|---|
| **Callithamnion** | | |
| refractum | XI | 27 |
| repens | " | 22 |
| rigidulum | " | 25 |
| roseolum | " | 22 |
| Rothii | " | 20 |
| scoparium | XII | 3 |
| scopulorum | XI | 23 |
| secundatum | " | 18 |
| semipennatum | " | 24 |
| sessile | " | 21 |
| simile | " | 26 |
| spinescens | " | 28 |
| subtilissimum | " | 19 |
| subverticillatum | " | 26 |
| tenuissimum | " | 24 |
| ternifolium | " | 28 |
| Thouarsii | " | 27 |
| thuyoides | " | 24 |
| Turneri | " | 26 |
| utriculosum | " | 21 |
| variabile | " | 20 |
| ventricosum | " | 20 |
| venustissimum | XII | 1 |
| Vieillardi | XIII | 2 |
| villosum | XI | 28 |
| **Callymenia** | | |
| dentata | XVII | 22 |
| **Calophyllis** | | |
| acrodonta | " | 25 |
| antarctica | " | 27 |
| coccinea | " | 27 |
| cristata | " | 27 |
| dichotoma | " | 27 |
| discigera | " | 25 |
| Hombroniana | " | 26 |
| Hookeri | " | 26 |
| laciniata | " | 25 |
| ornata | " | 26 |
| sobolifera | " | 27 |
| tenera | " | 26 |
| variegata | " | 25 |
| **Calothrix** | | |
| Brebissonii | II | 8 |
| cespitosa | " | 8 |
| Dillwynii | " | 8 |
| interrupta | " | 12 |
| Leineri | " | 8 |
| mirabilis | " | 8 |
| pulchra | " | 8 |
| radiosa | " | 8 |
| stuposa | " | 8 |

| | Vol. | pag. |
|---|---|---|
| **Calothrix** | | |
| Tomasiniana | II | 8 |
| Wrangelii | " | 8 |
| **Capsosira** | | |
| Brebissonii | " | 26 |
| **Carpacanthus** | | |
| biformis | XI | 14 |
| dentifolius | " | 12 |
| Gaudichaudii | " | 12 |
| glomeratus | " | 14 |
| ilicifolius | " | 15 |
| incisifolius | " | 14 |
| lacerifolius | " | 13 |
| latifolius | " | 15 |
| Liebmannii | " | 13 |
| oligophyllus | " | 12 |
| parvifolius | " | 12 |
| platycarpus | " | 13 |
| racemosus | " | 14 |
| Saltii | " | 12 |
| spinulosus | " | 15 |
| Suhrii | " | 13 |
| trichophyllus | " | 12 |
| Turneri | " | 13 |
| vestitus | " | 15 |
| **Carpoblepharis** | | |
| ceylanica | XIX | 15 |
| flaccida | XII | 19 |
| mediterranea | XVI | 30 |
| pinnatifolia | XII | 19 |
| **Carpocaulon** | | |
| digitatum | XV | 16 |
| mediterraneum | " | 16 |
| **Carpodesmia** | | |
| Opuntioides | X | 13 |
| **Carpoglossum** | | |
| confluens | " | 8 |
| constrictum | " | 8 |
| **Carpomitra** | | |
| angustata | IX | 38 |
| Cabrera | " | 37 |
| caudata | " | 38 |
| Chytraphora | " | 37 |
| Halyseris | " | 39 |
| inermis | " | 38 |
| Novae Hollandiae | " | 37 |
| **Carpophyllum** | | |
| flexuosum | XI | 16 |
| macropyllum | " | 16 |
| maschalocarpum | " | 16 |

| | Vol. | pag. |
|---|---|---|
| **Carpothamnion** | | |
| Laurencia | XVIII | 5 |
| **Castraltia** | | |
| Salicornoides | XI | 16 |
| **Catenella** | | |
| impudica | XV | 33 |
| major | XVI | 25 |
| Opuntia | " | 25 |
| pinnata | " | 25 |
| **Caulacanthus** | | |
| fastigatus | XVIII | 3 |
| horridulus | " | 4 |
| rigidus | " | 3 |
| spinellus | " | 4 |
| ustulatus | " | 3 |
| **Caulerpa** | | |
| corynephora | VII | 4 |
| dactyloides | " | 7 |
| denticulata | " | 3 |
| distichophylla | " | 4 |
| falcata | " | 3 |
| fastigata | " | 1 |
| Freycinetii | " | 2 |
| Harveyana | " | 3 |
| Lessonii | " | 3 |
| Lycopodium | " | 6 |
| mamillosa | " | 6 |
| mexicana | " | 3 |
| najadiformis | " | 2 |
| pectinata | " | 3 |
| plumaris | " | 4 |
| pusilla | " | 1 |
| remotifolia | " | 4 |
| scalpelliformis | " | 3 |
| serrata | " | 2 |
| Sonderi | " | 4 |
| superba | " | 4 |
| taxifolia | " | 3 |
| verticillata | " | 1 |
| Zeyheri | " | 4 |
| **Celeceras** | | |
| monile | XII | 29 |
| **Centroceras** | | |
| brachyacanthum | XIII | 8 |
| cryptacanthum | " | 7 |
| hyalacanthum | " | 7 |
| inerme | " | 7 |
| leptacanthum | " | 7 |
| macracanthum | " | 7 |
| micracanthum | " | 7 |
| oxyacanthum | " | 7 |

| | Vol. | pag. |
|---|---|---|
| **Ceramium** | | |
| Agardhianum | XII | 24 |
| aucklanticum | XIII | 3 |
| barbatum | " | 4 |
| brachiatum | XII | 2 |
| Derbesi | XIII | 5 |
| capense | " | 3 |
| diaphanoides | " | 5 |
| dichotomum | " | 6 |
| divaricatum | " | 5 |
| flagelliferum | " | 4 |
| flagelligerum | " | 6 |
| floribundum | " | 6 |
| furcellatum | " | 4 |
| involutum | " | 3 |
| irregulare | " | 4 |
| lanciferum | " | 4 |
| leptophlaeum | " | 3 |
| Lessonii | " | 3 |
| macrocarpum | " | 5 |
| nodosum | XII | 24 |
| obsoletum | XIII | 4 |
| ordinatum | " | 3 |
| penicillatum | XII | 24 |
| planum | XIII | 5 |
| rigidulum | XII | 24 |
| roseolum | XI | 19 |
| rubrum | XIII | 2 |
| spiniferum | " | 6 |
| spinoso-pilosum | " | 6 |
| spinuliferum | " | 6 |
| villosum | " | 5 |
| **Chaetangium** | | |
| dichotomum | XIX | 18 |
| Hystrix | " | 18 |
| ornatum | " | 18 |
| **Chaetococcus** | | |
| violaceus | I | 51 |
| viridis | V | 1 |
| **Chaetomorpha** | | |
| aerea | III | 19 |
| alternata | " | 19 |
| antennina | " | 19 |
| baltica | " | 17 |
| Billardierii | " | 19 |
| brachyarthra | " | 18 |
| Callithrix | " | 17 |
| chlorotica | " | 18 |
| clavata | " | 19 |
| coliformis | " | 20 |
| crassa | " | 19 |
| dalmatica | " | 18 |

| | Vol. | pag. |
|---|---|---|
| **Chaetomorpha** | | |
| Dubyana | III | 18 |
| fibrosa | " | 17 |
| gallica | " | 18 |
| gracilis | " | 17 |
| herbacea | " | 18 |
| implexa | " | 17 |
| indica | " | 17 |
| javanica | " | 17 |
| ligustica | " | 17 |
| linoides | " | 17 |
| Linum | " | 18 |
| Melagonium | " | 19 |
| nodosa | " | 17 |
| pachynema | " | 19 |
| pacifica | " | 19 |
| Picquotiana | " | 19 |
| princeps | " | 19 |
| restricta | " | 17 |
| reticulata | " | 18 |
| rigida | " | 18 |
| setacea | " | 18 |
| slesvicensis | " | 18 |
| tortuosa | " | 17 |
| torulosa | " | 19 |
| urbica | " | 18 |
| variabilis | " | 18 |
| vasta | " | 18 |
| **Chaetophora** | | |
| atra | " | 4 |
| cervicornis | " | 5 |
| elegans | " | 5 |
| endiviaefolia | " | 5 |
| flagellifera | " | 5 |
| longipila | " | 4 |
| monilifera | " | 5 |
| pisiformis | " | 4 |
| punctiformis | " | 4 |
| radians | " | 4 |
| Schweinitzii | " | 6 |
| tuberculosa | " | 5 |
| **Chaetopteris** | | |
| plumosa | VI | 3 |
| squamulosa | " | 3 |
| **Chamaedoris** | | |
| annulata | " | 31 |
| **Champia** | | |
| compressa | XV | 30 |
| Kotschyana | " | 32 |
| lumbricalis | " | 30 |
| tasmanica | " | 30 |
| Vieillardi | XVI | 14 |

| | Vol. | pag. |
|---|---|---|
| **Chantransia** | | |
| alpina | V | 15 |
| amethystea | " | 14 |
| chalybea | " | 14 |
| coccinea | " | 15 |
| dalmatica | " | 14 |
| fontana | " | 15 |
| hercynica | " | 15 |
| Hermanni | " | 15 |
| investiens | " | 15 |
| Leibleini | " | 14 |
| major | " | 14 |
| muscicola | " | 14 |
| pygmaea | " | 15 |
| radians | " | 14 |
| scotica | " | 14 |
| violacea | " | 15 |
| **Chara** | | |
| aculeolata | VII | 27 |
| algeriensis | " | 29 |
| alopecuroidea | " | 18 |
| armata | " | 30 |
| aspera | " | 21 |
| australis | " | 11 |
| baltica | " | 26 |
| barbata | " | 18 |
| Behriana | " | 32 |
| brachypus | " | 29 |
| capensis | " | 28 |
| capillacea | " | 23 |
| ceratophylla | " | 29 |
| chilensis | " | 29 |
| clavata | " | 32 |
| Commersonii | " | 31 |
| compressa | " | 30 |
| congesta | " | 17 |
| connivens | " | 26 |
| contraria | " | 25 |
| Corallina | " | 32 |
| coronata | " | 17 |
| crassicaulis | " | 25 |
| crinita | " | 27 |
| curta | " | 22 |
| Ecklonii | " | 19 |
| equisetina | " | 27 |
| filiformis | " | 19 |
| firma | " | 26 |
| fragilis | " | 22 |
| gymnophylla | " | 21 |
| gymnopitys | " | 21 |
| Hedwigii | " | 23 |
| heterophylla | " | 19 |
| hispida | " | 26 |

| | Vol. | pag |
|---|---|---|
| **Chara** | | |
| Hookeri | VII | 20 |
| Hornemannii | " | 20 |
| inconstans | " | 28 |
| intermedia | " | 28 |
| jubata | " | 19 |
| Karelini | " | 28 |
| Kirghisorum | " | 31 |
| Krausii | " | 22 |
| longibracteata | " | 25 |
| macropogon | " | 19 |
| Michauxii | " | 31 |
| microphylla | " | 20 |
| myriophylla | " | 20 |
| nivea | " | 22 |
| Nolteana | " | 26 |
| oahuensis | " | 32 |
| papillosa | " | 28 |
| plebeja | " | 11 |
| polyphylla | " | 24 |
| Preissii | " | 18 |
| pusilla | " | 28 |
| refracta | " | 24 |
| Schweinitzii | " | 31 |
| scoparia | " | 18 |
| seminuda | " | 24 |
| spinosa | " | 18 |
| spondylophylla | " | 27 |
| squamosa | " | 21 |
| " | " | 29 |
| stelligera | " | 11 |
| stricta | " | 24 |
| strigosa | " | 25 |
| subglabra | " | 30 |
| subtilis | " | 21 |
| Tasmannica | " | 16 |
| tatarica | " | 31 |
| tomentosa | " | 29 |
| trichodes | " | 23 |
| ulvoides | " | 11 |
| virgata | " | 23 |
| vulgaris | " | 24 |
| zeylanica | " | 30 |
| **Characium** | | |
| acuminatum | VI | 25 |
| minutum | " | 25 |
| Sieboldi | " | 25 |
| **Chauvinia** | | |
| Brownii | VII | 6 |
| cactoides | " | 6 |
| Chemnitzia | " | 6 |
| clavigera | " | 6 |

| | Vol. | pag. |
|---|---|---|
| **Chauvinia** | | |
| cupressoides | VII | 6 |
| cylindrica | " | 6 |
| ericifolia | " | 5 |
| flexilis | " | 7 |
| furcifolia | " | 6 |
| hydnoides | " | 7 |
| imbricata | XIX | 4 |
| indica | VII | 5 |
| laete virens | " | 6 |
| macrophysa | " | 6 |
| mamillosa | " | 6 |
| obscura | " | 7 |
| paspaloides | " | 7 |
| peltata | " | 7 |
| phleoides | " | 7 |
| pusilla | " | 1 |
| sedoides | " | 6 |
| Selago | " | 5 |
| simpliciuscula | " | 6 |
| Webbiana | " | 7 |
| **Chlorococcum** | | |
| crassum | I | 4 |
| infusionum | " | 4 |
| monas | " | 4 |
| **Chloronema** | | |
| sphacelarioides | V | 29 |
| **Chloropteris** | | |
| Leprieurii | VI | 1 |
| **Chlorosiphon** | | |
| pusillus | " | 18 |
| " | IX | 4 |
| Shuttleworthianus | VI | 18 |
| **Chlorotylium** | | |
| cataractarum | V | 12 |
| compactum | " | 12 |
| mammiforme | " | 12 |
| **Chnoospora** | | |
| atlantica | IX | 36 |
| fastigiata | " | 36 |
| implexa | " | 36 |
| pacifica | " | 36 |
| pannosa | " | 36 |
| **Chondroclonium** | | |
| Chamissoi | XVII | 20 |
| Chauvini | " | 21 |
| canaliculatum | " | 21 |
| corniculatum | " | 20 |
| horridum | " | 20 |
| lividum | " | 20 |
| nigritum | " | 20 |

| | Vol. | pag. |
|---|---|---|
| **Chondroclonium** | | |
| Teedii | XVII | 20 |
| versicolor | " | 21 |
| **Chondrococcus** | | |
| abscissus | XVII | 29 |
| filiformis | " | 28 |
| Lambertii | " | 28 |
| spinulosus | XVIII | 11 |
| squarrosus | XVII | 29 |
| **Chondrodictyon** | | |
| capense | " | 6 |
| **Chondrodon** | | |
| flaccidus | XVIII | 25 |
| Suhrii | " | 25 |
| **Chondrosiphon** | | |
| compressus | XV | 28 |
| mediterraneus | " | 28 |
| Meneghinianus | " | 29 |
| Novae Hollandiae | " | 28 |
| radicans | " | 28 |
| rigidus | " | 28 |
| splachnoides | XIX | 7 |
| uncinatus | XV | 28 |
| **Chondrothamnion** | | |
| australe | XV | 29 |
| chiloense | " | 29 |
| clavellosum | " | 29 |
| divaricatum | " | 30 |
| irregulare | " | 29 |
| **Chondrus** | | |
| affinis | XVII | 15 |
| agathoicus | " | 16 |
| bidens | " | 17 |
| canaliculatus | " | 15 |
| capensis | XVI | 21 |
| " | XVII | 17 |
| celticus | " | 17 |
| coarctatus | " | 18 |
| coccineus | " | 18 |
| complicatus | " | 17 |
| concinnus | " | 17 |
| congestus | " | 17 |
| coriaceus | " | 16 |
| crispus | " | 14 |
| disciplinalis | " | 16 |
| divaricatus | " | 16 |
| durijusculus | " | 18 |
| edulis | " | 19 |
| elongatus | " | 15 |
| furcellatus | " | 16 |
| incurvatus | " | 14 |

| | Vol. | pag. |
|---|---|---|
| **Chondrus** | | |
| polycladus | XVII | 16 |
| rhodophyllus | " | 18 |
| scabiosus | " | 19 |
| scutellatus | " | 16 |
| tenuis | " | 15 |
| umbellatus | " | 17 |
| vermicularis | " | 18 |
| violaceus | " | 15 |
| Wrightii | " | 18 |
| **Chorda** | | |
| capensis | VIII | 5 |
| Filum | " | 6 |
| rimosa | " | 7 |
| **Chordaria** | | |
| capensis | " | 5 |
| Cladosiphon | IX | 2 |
| Dictyosiphon | " | 2 |
| flagelliformis | VIII | 5 |
| **Chroolepus** | | |
| abietinum | VI | 20 |
| aurantiacum | " | 21 |
| aureum | " | 21 |
| coeruleum | " | 20 |
| flavum | " | 22 |
| hercynicum | " | 22 |
| irregulare | " | 21 |
| Jolithus | " | 22 |
| moniliforme | " | 22 |
| odoratum | " | 21 |
| oleiferum | " | 21 |
| riparium | " | 20 |
| rupestre | " | 21 |
| umbrinum | " | 21 |
| velutinum | " | 21 |
| villosum | " | 22 |
| **Chthonoblastus** | | |
| aerugineus | I | 38 |
| anguiformis | " | 38 |
| atropurpureus | " | 37 |
| bryophilus | " | 38 |
| confluens | " | 38 |
| Lyngbyei | " | 38 |
| monticola | " | 38 |
| oligothrix | " | 38 |
| paludosus | " | 48 |
| repens | " | 37 |
| salinus | " | 38 |
| Vaucherii | " | 37 |
| **Chrysymenia** | | |
| tenera | XV | 34 |

| | Vol. | pag. |
|---|---|---|
| **Chylocladia** | | |
| fasciata | XV | 31 |
| phalligera | " | 33 |
| uncinata | " | 28 |
| **Chytraphora** | | |
| filiformis | IX | 37 |
| **Cladhymenia** | | |
| conferta | XIV | 33 |
| foliifera | " | 33 |
| Gunnii | XVII | 28 |
| **Cladophora** | | |
| afra | IV | 11 |
| albida | " | 4 |
| allantoidea | " | 4 |
| alyssoidea | III | 25 |
| anisogona | " | 27 |
| Bertolonii | IV | 2 |
| brachyclados | " | 8 |
| brachyclona | III | 27 |
| Bruzelii | IV | 5 |
| calida | " | 11 |
| callicoma | " | 8 |
| canaliculariis | " | 9 |
| cannabina | " | 7 |
| catenata | III | 24 |
| catenifera | " | 24 |
| ceratina | IV | 5 |
| chilensis | " | 10 |
| Chlorothrix | " | 2 |
| clavigera | " | 10 |
| Comatula | III | 24 |
| comosa | " | 23 |
| " | IV | 9 |
| conglomerata | III | 26 |
| corymbifera | IV | 2 |
| crispata | " | 8 |
| cristata | " | 5 |
| Crouani | III | 27 |
| crystallina | IV | 4 |
| curvata | " | 9 |
| curvula | " | 3 |
| dalmatica | " | 3 |
| declinata | " | 8 |
| delicatula | VI | 1 |
| dichlora | IV | 12 |
| diffusa | III | 25 |
| divaricata | " | 27 |
| dubia | IV | 12 |
| Eckloni | " | 1 |
| Engelmanni | " | 11 |
| expansa | III | 27 |
| falcata | IV | 3 |

| | Vol. | pag. |
|---|---|---|
| **Cladophora** | | |
| falklandica | IV | 9 |
| fascicularis | III | 26 |
| fasciculata | IV | 7 |
| flaccida | III | 26 |
| flagelliformis | " | 23 |
| flavescens | IV | 5 |
| flavida | " | 5 |
| flexicaulis | " | 1 |
| Flotowiana | " | 11 |
| fluitans | " | 8 |
| fracta | " | 10 |
| Froelichiana | III | 26 |
| fruticulosa | " | 24 |
| fuscescens | " | 26 |
| Giraudyi | IV | 12 |
| glaucescens | " | 5 |
| glebifera | " | 6 |
| globulina | " | 12 |
| glomerata | " | 7 |
| gossypina | " | 11 |
| gracilis | " | 5 |
| gracillima | " | 4 |
| hamosa | " | 2 |
| heterocladia | " | 10 |
| heteropsis | III | 25 |
| hirta | IV | 1 |
| holsatica | " | 13 |
| hormocladia | III | 25 |
| hospita | " | 23 |
| humilis | IV | 1 |
| Hutchinsiae | III | 25 |
| hyalina | IV | 11 |
| insignis | " | 8 |
| javanica | " | 9 |
| lacustris | " | 12 |
| laete virens | " | 3 |
| laxa | III | 27 |
| Lehmanniana | " | 26 |
| lepidula | IV | 3 |
| leucocoma | III | 24 |
| liniformis | IV | 7 |
| linoides | " | 8 |
| longiarticulata | III | 26 |
| longicoma | IV | 6 |
| longissima | " | 8 |
| lubrica | " | 6 |
| lutescens | " | 5 |
| Macallana | III | 25 |
| macrogonya | IV | 8 |
| margaritifera | " | 12 |
| mauritanica | " | 3 |
| mediterranea | " | 1 |

| Cladophora | Vol. | pag |
|---|---|---|
| Montagneana | IV | 9 |
| multifida | III | 24 |
| mutila | IV | 5 |
| Neesiorum | " | 2 |
| nitida | " | 6 |
| nitidissima | " | 3 |
| nitidula | III | 25 |
| nuda | IV | 1 |
| oedogonia | VI | 1 |
| oligoclona | IV | 11 |
| ovoidea | III | 26 |
| patens | " | 27 |
| pectinicornis | IV | 3 |
| pellucida | III | 24 |
| penicillata | " | 27 |
| plumosa | IV | 6 |
| Plumula | " | 6 |
| prolifera | III | 24 |
| pumila | IV | 4 |
| putealis | " | 11 |
| ramellosa | " | 4 |
| ramosissima | " | 1 |
| ramulosa | III | 25 |
| rectangularis | " | 28 |
| refracta | IV | 2 |
| reticulata | " | 4 |
| rigidula | " | 10 |
| Rissoana | III | 25 |
| Roettleri | IV | 10 |
| Ruchingeri | " | 6 |
| Rudolphiana | " | 6 |
| rupestris | " | 1 |
| sacculifera | III | 24 |
| scitula | IV | 3 |
| scoparia | III | 24 |
| secunda | IV | 11 |
| sericea | " | 4 |
| sertularina | " | 2 |
| setiformis | " | 8 |
| simpliciuscula | " | 7 |
| sirocladia | III | 25 |
| sordida | IV | 12 |
| spinulifera | " | 3 |
| spinulosa | " | 2 |
| strepens | " | 10 |
| stricta | III | 24 |
| striolata | IV | 2 |
| subpectinata | " | 2 |
| subsimplex | " | 11 |
| subulifera | " | 2 |
| sudetica | " | 9 |
| Suhriana | III | 26 |

| Cladophora | Vol | pag. |
|---|---|---|
| tenella | IV | 6 |
| tenerrima | " | 4 |
| tenuis | " | 2 |
| Thoreana | " | 4 |
| tranquebariensis | " | 9 |
| trichocoma | " | 6 |
| utriculosa | III | 26 |
| vadorum | IV | 4 |
| vaga | " | 4 |
| valonioides | III | 25 |
| vaucheriaeformis | " | 23 |
| verticillata | " | 23 |
| vesiculosa | " | 25 |
| viadrina | IV | 10 |
| virgata | III | 23 |
| " | " | 27 |
| viridula | IV | 5 |
| **Cladosiphon** | | |
| Chordaria | IX | 2 |
| Dictyosiphon | " | 2 |
| Giraudii | VIII | 6 |
| mediterraneus | " | 6 |
| nigrescens | IX | 1 |
| zostericola | " | 1 |
| **Cladostephus** | | |
| antarcticus | VI | 4 |
| australis | " | 5 |
| Bolleanus | " | 5 |
| densus | " | 4 |
| hedwigioides | " | 4 |
| Myriophyllum | " | 5 |
| spongiosus | " | 4 |
| tomentosus | " | 5 |
| **Cladothele** | | |
| Decaisnei | IX | 32 |
| filiformis | " | 32 |
| Montagnei | " | 32 |
| **Claudea** | | |
| elegans | XIX | 21 |
| multifida | " | 21 |
| **Coccochloris** | | |
| margaritacea | I | 10 |
| muscicola | " | 10 |
| Orsiniana | " | 12 |
| Pila | " | 14 |
| quaternata | " | 15 |
| stagnina | " | 14 |
| **Coccophora** | | |
| Langsdorfii | XI | 15 |
| Phyllamphora | " | 15 |

| | Vol | pag. |
|---|---|---|
| Coccotylus | | |
| Brodiaei | XIX | 27 |
| Codium adhaerens | VI | 35 |
| amphibium | " | 34 |
| arabicum | " | 35 |
| Bursa | " | 35 |
| damaecorne | " | 34 |
| difforme | " | 35 |
| elongatum | " | 34 |
| Lindenbergii | " | 34 |
| Mülleri | " | 34 |
| tenue | " | 33 |
| tomentosum | " | 33 |
| Coelocystis | | |
| Kuetzingiana | " | 25 |
| Coelosphaerium | | |
| Kuetzingianum | " | 25 |
| Coleochaete | | |
| prostrata | IV | 20 |
| pulvinata | " | 20 |
| scutata | " | 19 |
| Compsopogon | | |
| aerugineus | VII | 35 |
| chalybeus | " | 35 |
| coeruleus | " | 35 |
| Corinaldii | " | 35 |
| leptocladus | " | 36 |
| Conferva | | |
| abbreviata | III | 14 |
| affinis | " | 14 |
| amoena | " | 15 |
| Ansonii | " | 15 |
| Antillarum | " | 15 |
| aureo-fulva | " | 15 |
| bombycina | " | 14 |
| Crouani | " | 27 |
| dubia | " | 14 |
| flaccida | " | 14 |
| floccosa | " | 14 |
| fontinalis | " | 15 |
| fugacissima | " | 14 |
| Funkii | " | 14 |
| glacialis | " | 14 |
| globulifera | " | 14 |
| inaequalis | " | 14 |
| laevis | " | 14 |
| nubecula | " | 14 |
| olivacea | V | 28 |
| pallescens | III | 14 |
| pallida | " | 14 |
| punctalis | " | 13 |

| | Vol. | pag. |
|---|---|---|
| Conferva | | |
| punctifera | III | 15 |
| radicans | V | 26 |
| rectangularis | III | 28 |
| repens | IV | 15 |
| restricta | III | 17 |
| rhypophila | " | 13 |
| scrobiculorum | " | 15 |
| serpens | " | 15 |
| sordida | " | 14 |
| subaequalis | " | 15 |
| subsetacea | " | 16 |
| subtilis | " | 14 |
| tenerrima | " | 13 |
| utriculosa | " | 14 |
| villosa | X | 1 |
| viridi-fusca | III | 16 |
| Contarinia | | |
| australis | X | 10 |
| Corallina | | |
| adhaerens | VIII | 40 |
| anceps | " | 24 |
| " | " | 30 |
| antennina | " | 40 |
| arbuscula | " | 29 |
| attenuata | " | 37 |
| Berterii | " | 32 |
| bifurca | " | 41 |
| Calliptera | " | 34 |
| carinata | " | 30 |
| ceratoides | " | 36 |
| clavigera | " | 36 |
| conglutinata | " | 12 |
| constricta | " | 40 |
| corniculata | " | 33 |
| " | " | 39 |
| cretacea | " | 22 |
| crispata | " | 34 |
| cristata | " | 38 |
| cubensis | " | 37 |
| cupressina | " | 33 |
| Cuvierii | " | 33 |
| cylindrica | " | 14 |
| densa | " | 31 |
| denudata | " | 34 |
| elegans | " | 42 |
| ephedracea | " | 23 |
| fastigiata | " | 38 |
| Filicula | " | 29 |
| filiformis | " | 42 |
| flabellata | " | 29 |
| " | " | 31 |

| | Vol. | pag. |
|---|---|---|
| **Corallina** | | |
| frondescens | VIII | 29 |
| gibbosa | " | 39 |
| gomphonemacea | " | 30 |
| gracilis | " | 35 |
| granifera | " | 31 |
| indurata | " | 14 |
| intermedia | " | 37 |
| " | " | 42 |
| lapidescens | " | 18 |
| lichenoides | " | 14 |
| longifurca | " | 37 |
| marginata | " | 16 |
| muscoides | " | 42 |
| nana | " | 41 |
| natalensis | " | 38 |
| officinalis | " | 32 |
| palmata | " | 29 |
| pedunculata | " | 37 |
| pilifera | " | 35 |
| pilulifera | " | 31 |
| " | " | 42 |
| planiuscula | " | 31 |
| plumifera | " | 34 |
| Plumula | " | 41 |
| pumila | " | 39 |
| pygmaea | " | 37 |
| racemosa | " | 41 |
| rigida | " | 30 |
| rosea | " | 34 |
| rubens | " | 38 |
| " concatenata | " | 40 |
| spathulifera | " | 31 |
| spermophorus | " | 39 |
| squamata | " | 36 |
| subulata | " | 33 |
| tenella | " | 41 |
| tenuissima | " | 40 |
| Tribulus | " | 22 |
| trichocarpa | " | 35 |
| tridens | " | 41 |
| Turneri | " | 34 |
| verrucosa | " | 38 |
| virgata | " | 36 |
| **Corallocephalus** | | |
| affinis | " | 13 |
| barbatus | VII | 8 |
| eriophorus | VIII | 13 |
| Lamourouxii | " | 13 |
| penicillus | VII | 8 |
| **Corallopsis** | | |
| australasica | XIX | 10 |
| **Corticularia** | | |
| arcta | V | 23 |
| brachiata | " | 24 |
| fuscata | " | 23 |
| Naegeliana | " | 24 |
| tenella | " | 24 |
| verminosa | " | 23 |
| **Corynephora** | | |
| baltica | VIII | 1 |
| flaccida | " | 3 |
| marina | " | 2 |
| umbellata | " | 1 |
| **Corynophlaea** | | |
| baltica | " | 1 |
| flaccida | " | 3 |
| **Crenacantha** | | |
| orientalis | IV | 18 |
| **Cruoria** | | |
| pellita | VII | 36 |
| **Cryptacantha** | | |
| crinita | X | 20 |
| flaccida | " | 20 |
| squarrosa | " | 20 |
| **Cryptonemia** | | |
| crenulata | XIX | 11 |
| luxurians | " | 12 |
| **Cryptopleura** | | |
| americana | XVI | 11 |
| Bonnemaisonii | " | 11 |
| crispata | " | 10 |
| Crozieri | " | 11 |
| Curdieana | XIX | 1 |
| Durvillaei | XVI | 11 |
| Griffithsiana | XIX | 1 |
| Hilliae | XVI | 11 |
| lacerata | " | 10 |
| livida | " | 12 |
| minor | " | 10 |
| palmata | XIX | 2 |
| Smithii | XVI | 11 |
| versicolor | " | 11 |
| **Curdiaea** | | |
| laciniata | XIX | 12 |
| obtusata | " | 12 |
| undulata | " | 11 |
| **Cutleria** | | |
| adspersa | IX | 19 |
| compressa | " | 18 |
| dalmatica | " | 18 |
| dichotoma | " | 18 |
| fibrosa | " | 18 |

| | Vol. | pag. |
|---|---|---|
| **Cutleria** | | |
| intricata | IX | 18 |
| multifida | " | 19 |
| naevosa | " | 13 |
| penicillata | " | 18 |
| **Cylindrocystis** | | |
| Brebissonii | I | 19 |
| eudospira | " | 19 |
| mellea | " | 18 |
| **Cylindrospermum** | | |
| anisococcum | " | 53 |
| arenicola | " | 53 |
| Carmichaelii | " | 53 |
| circinale | " | 52 |
| conglobatum | " | 52 |
| elongatum | " | 53 |
| Felisii | " | 53 |
| granuliferum | " | 52 |
| humicola | " | 53 |
| leptospermum | " | 53 |
| licheniforme | " | 52 |
| limicola | " | 53 |
| macrospermum | " | 53 |
| majus | " | 53 |
| mesoleptum | " | 53 |
| muscicola | " | 53 |
| polyspermum | " | 53 |
| Ralfsii | " | 53 |
| riparium | " | 52 |
| spirale | " | 52 |
| **Cymatonema** | | |
| confervaceum | III | 15 |
| **Cymopolia** | | |
| barbata | VII | 9 |
| bibarbata | " | 9 |
| **Cystoclonium** | | |
| filiforme | XVIII | 6 |
| furcellatum | XIX | 14 |
| Gaudichaudii | XVIII | 6 |
| Grevilii | " | 6 |
| obtusangulum | " | 6 |
| patens | " | 5 |
| pumilum | " | 6 |
| purpurascens | " | 6 |
| turgidulum | " | 6 |
| **Cystophora** | | |
| botryocystis | X | 26 |
| monilifera | " | 27 |
| retroflexa | " | 27 |
| Sonderi | " | 29 |

| | Vol. | pag. |
|---|---|---|
| **Cystophyllum** | | |
| australe | XI | 11 |
| **Cystosira** | | |
| abrotanifolia | X | 17 |
| aurantia | " | 16 |
| barbata | " | 16 |
| barbatula | " | 17 |
| cephalornithos | " | 29 |
| discors | " | 19 |
| divaricata | " | 18 |
| elata | " | 17 |
| fimbriata | " | 18 |
| foeniculacea | " | 19 |
| glomerata | " | 18 |
| Hoppii | " | 16 |
| humilis | " | 18 |
| hypocarpa | " | 19 |
| Lepidium | " | 19 |
| leptocarpa | " | 17 |
| macrocarpa | " | 18 |
| microcarpa | " | 18 |
| opuntioides | " | 14 |
| paniculata | " | 17 |
| Phyllamphora | " | 15 |
| pumila | " | 18 |
| spicigera | " | 20 |
| squarrosa | " | 17 |
| thesiophylla | " | 13 |
| thyrsigera | " | 29 |
| zosteroides | " | 14 |
| **Dasya** | | |
| arbuscula | XIV | 30 |
| bulbochaete | " | 23 |
| calliptera | " | 28 |
| Callithamnion | " | 28 |
| capillaris | " | 26 |
| ceramioides | " | 27 |
| cervicornis | " | 31 |
| Cliftoni | " | 25 |
| collabens | " | 25 |
| crassipes | " | 26 |
| crouanioides | " | 32 |
| dalmatica | " | 26 |
| decipiens | " | 23 |
| dubia | " | 28 |
| elegans | " | 21 |
| elongata | " | 24 |
| extensa | " | 21 |
| Feredayae | " | 24 |
| frutescens | " | 24 |
| Gibbesii | " | 27 |

| | Vol. | pag. |
|---|---|---|
| **Dasya** | | |
| Gunniana | XIV | 29 |
| Haffiae | " | 24 |
| hapalothrix | " | 23 |
| Harveyi | " | 26 |
| hormoclados | " | 27 |
| jadertina | " | 24 |
| Kuetzingiana | " | 21 |
| Lallemandi | " | 26 |
| Laurenciana | " | 25 |
| lophoclados | " | 7 |
| mollis | XV | 1 |
| mucronata | XIV | 25 |
| Muelleri | " | 29 |
| multiceps | " | 27 |
| Naccaroides | " | 23 |
| ocellata | " | 22 |
| pallescens | " | 22 |
| pellucida | " | 32 |
| plumigera | " | 29 |
| punicea | " | 22 |
| ramosissima | " | 25 |
| scoparia | " | 23 |
| Solieri | " | 31 |
| spongiosa | " | 30 |
| subsecunda | " | 28 |
| tasmannica | " | 23 |
| tenera | XV | 1 |
| tingens | XIV | 27 |
| Tumanowiczi | " | 22 |
| verticillata | " | 30 |
| villosa | " | 21 |
| Wrangelioides | " | 28 |
| Wurdemanni | " | 29 |
| **Dasyactis** | | |
| Biasolettiana | II | 23 |
| brunnea | " | 23 |
| Kunzeana | " | 23 |
| minutula | " | 23 |
| Naegeliana | " | 23 |
| plana | " | 23 |
| rivularis | " | 23 |
| salina | " | 23 |
| torfacea | " | 23 |
| **Dasycladus** | | |
| clavaeformis | VI | 32 |
| cylindricus | " | 32 |
| **Dasygloea** | | |
| amorpha | I | 43 |
| **Dasyphila** | | |
| Preissii | XII | 20 |

| | Vol. | pag. |
|---|---|---|
| **Dasyphlaea** | | |
| insignis | XVIII | 7 |
| **Delesseria** | | |
| amansioides | XIX | 4 |
| Baerii | " | 5 |
| crassinervia | XVI | 5 |
| Daviesii | " | 7 |
| dichotoma | " | 10 |
| endiviaefolia | XIX | 4 |
| Griffithsia | " | 1 |
| hypoglossoides | " | 5 |
| involvens | " | 5 |
| laciniata | XVI | 8 |
| Léprieurii | " | 5 |
| ovalifolia | " | 5 |
| quercifolia | " | 8 |
| rigida | XIX | 4 |
| sanguinea | XVI | 7 |
| serrulata | XIX | 4 |
| spathulata | " | 5 |
| tasmannica | " | 4 |
| tenerrima | XVI | 13 |
| tenuifolia | XIX | 5 |
| **Delisea** | | |
| elegans | XVIII | 24 |
| fimbriata | " | 24 |
| pulchra | " | 24 |
| serrata | " | 24 |
| **Desmarestia** | | |
| aculeata | IX | 40 |
| affinis | " | 41 |
| anceps | " | 41 |
| chordalis | " | 41 |
| distans | " | 41 |
| filiformis | " | 32 |
| herbacea | " | 42 |
| hybrida | " | 39 |
| intermedia | " | 40 |
| latifrons | " | 40 |
| ligulata | " | 42 |
| media | " | 40 |
| Menziesii | " | 39 |
| pinnatifida | " | 16 |
| Rossii | " | 41 |
| viridis | " | 39 |
| **Desmotrichum** | | |
| balticum | VI | 2 |
| cervicorne | " | 3 |
| Laminariae | " | 3 |
| plumosum | " | 3 |
| **Dicranema** | | |
| furcellatum | XIX | 14 |

| | Vol. | pag. |
|---|---|---|
| Dicranema | | |
| revolutum | XIX | 14 |
| Dictyomenia | | |
| fimbriata | XIV | 34 |
| Harveyana | " | 33 |
| myriacantha | " | 33 |
| prolifera | " | 34 |
| " | XIX | 21 |
| Sonderi | XIV | 34 |
| spinulosa | " | 34 |
| tridens | " | 33 |
| volubilis | " | 35 |
| Dictyonema | | |
| membranaceum | II | 12 |
| Dictyosiphon | | |
| fasciculatus | VI | 19 |
| foeniculaceus | " | 18 |
| fragilis | " | 19 |
| hippuroides | " | 19 |
| Lyallii | " | 19 |
| ramellosus | " | 19 |
| simplex | " | 19 |
| Dictyosphaeria | | |
| favulosa | VII | 10 |
| Dictyota | | |
| abyssinica | IX | 9 |
| acuminata | " | 7 |
| acuta | " | 7 |
| acutiloba | " | 13 |
| aequalis | " | 9 |
| affinis | " | 6 |
| angustissima | " | 10 |
| Antiquae | " | 16 |
| attenuata | " | 6 |
| Bartayresiana | " | 8 |
| Brongniartii | " | 15 |
| cervicornis | " | 11 |
| ceylanica | " | 11 |
| ciliata | " | 12 |
| ciliolata | " | 12 |
| cirrosa | " | 8 |
| crenulata | " | 8 |
| cuspidata | " | 9 |
| dentata | " | 15 |
| denticulata | " | 12 |
| dichotoma | " | 5 |
| Diemensis | " | 14 |
| divaricata | " | 10 |
| elongata | " | 6 |
| Fasciola | " | 10 |
| fastigata | " | 13 |
| fibrosa | " | 7 |

| | Vol. | pag. |
|---|---|---|
| Dictyota | | |
| furcellata | IX | 11 |
| grandis | " | 14 |
| implexa | " | 7 |
| indica | " | 8 |
| intricata | " | 7 |
| Kunthii | " | 13 |
| latifolia | " | 6 |
| ligulata | " | 8 |
| linearis | " | 9 |
| liturata | " | 16 |
| Mertensii | " | 15 |
| minor | " | 10 |
| naevosa | " | 13 |
| Notarisii | " | 11 |
| obtusangula | " | 13 |
| ornata | " | 12 |
| paniculata | " | 15 |
| Pappeana | " | 16 |
| pardalis | " | 16 |
| polycarpa | " | 14 |
| polyclada | " | 10 |
| polypodioides | " | 14 |
| prolifera | " | 5 |
| pusilla | " | 11 |
| radicans | " | 15 |
| repens | " | 5 |
| Sandvicensis | " | 13 |
| Schroederi | " | 21 |
| sibenicensis | " | 5 |
| simplex | " | 5 |
| spinigera | " | 10 |
| spinulosa | " | 12 |
| spiralis | " | 7 |
| striolata | " | 8 |
| subdentata | " | 14 |
| verrucosa | " | 9 |
| volubilis | " | 7 |
| vulgaris | " | 6 |
| Dictyurus | | |
| occidentalis | XII | 20 |
| Digenia | | |
| Vieillardi | XV | 11 |
| Wulfeni | " | 11 |
| Diplostromium | | |
| tenuissimum | VI | 16 |
| undulatum | " | 16 |
| Dolichospermum | | |
| anisococcum | I | 54 |
| Felisii | " | 54 |
| inaequale | " | 53 |

| | Vol. | pag. |
|---|---|---|
| **Draparnaldia** | | |
| acuta | III | 3 |
| comosa | " | 4 |
| distans | " | 4 |
| glomerata | " | 3 |
| nudiuscula | " | 4 |
| ornata | " | 4 |
| plumosa | " | 3 |
| pulchella | " | 4 |
| spinosa | " | 3 |
| uniformis | " | 2 |
| **Drilosiphon** | | |
| Julianus | II | 5 |
| muscicola | " | 5 |
| **Dumontia** | | |
| capensis | XVI | 28 |
| coronata | " | 28 |
| decapitata | " | 28 |
| fastigata | " | 29 |
| filiformis | " | 29 |
| firma | " | 28 |
| hydrophora | " | 28 |
| lanceolata | " | 29 |
| Lepechini | " | 28 |
| mollis | " | 29 |
| ovalis | " | 29 |
| saccata | " | 27 |
| sobolifera | " | 29 |
| **Echinocaulon** | | |
| hispidum | XVIII | 13 |
| ramelliferum | " | 14 |
| rigidum | " | 14 |
| spinellum | " | 14 |
| strigosum | " | 14 |
| **Echinoceras** | | |
| armatum | XII | 27 |
| ciliatum | " | 26 |
| diaphanum | " | 27 |
| distans | " | 28 |
| hirsutum | " | 27 |
| horridum | " | 27 |
| Hystrix | " | 27 |
| imbricatum | " | 27 |
| julaceum | " | 27 |
| nudiusculum | " | 28 |
| patens | " | 28 |
| pellucidum | " | 28 |
| puberulum | " | 28 |
| ramulosum | " | 28 |
| secundatum | " | 28 |

| | Vol. | pag. |
|---|---|---|
| **Echinoceras** | | |
| spinulosum | XII | 28 |
| tenellum | " | 27 |
| **Ectocarpus** | | |
| abbreviatus | V | 17 |
| acanthoides | " | 18 |
| acanthophorus | " | 16 |
| aleuticus | X | 1 |
| amphibius | V | 19 |
| approximatus | " | 18 |
| arabicus | " | 21 |
| arctus | " | 23 |
| auratus | " | 23 |
| bombycinus | " | 21 |
| breviarticulatus | " | 18 |
| capensis | " | 17 |
| ceratoides | " | 18 |
| cespitulus | " | 19 |
| compactus | " | 23 |
| corymbosus | " | 19 |
| crinitus | " | 21 |
| cruciatus | " | 16 |
| divaricatus | " | 18 |
| draparnaldiaeformis | " | 20 |
| erectus | " | 22 |
| fasciculatus | " | 17 |
| flagelliformis | " | 19 |
| flavescens | " | 19 |
| fluviatilis | " | 20 |
| globifer | " | 16 |
| gracillimus | " | 18 |
| Hinksiae | " | 17 |
| humilis | " | 21 |
| intermedius | " | 16 |
| irregularis | " | 19 |
| Kochianus | " | 21 |
| lanosus | " | 21 |
| litoralis | " | 23 |
| lumbricalis | " | 18 |
| macroceras | " | 20 |
| major | " | 17 |
| minutulus | " | 16 |
| monocarpus | " | 22 |
| ochraceus | " | 19 |
| ochroleucus | " | 20 |
| Oedogonium | " | 20 |
| onustus | " | 22 |
| oophorus | " | 21 |
| parvulus | " | 21 |
| patens | " | 20 |
| polycarpus | " | 17 |
| pusillus | " | 16 |
| radiciformis | " | 19 |

| | Vol. | pag. |
|---|---|---|
| **Ectocarpus** | | |
| ramellosus | V | 23 |
| refractus | " | 17 |
| rigidulus | " | 21 |
| rigidus | " | 20 |
| rufulus | " | 18 |
| rufus | " | 20 |
| Sandrianus | " | 17 |
| secundus | " | 16 |
| siliculosus | " | 17 |
| simpliciusculus | " | 22 |
| spalatinus | " | 19 |
| sphaerophorus | " | 16 |
| spinosus | " | 16 |
| squarrosus | " | 19 |
| subulatus | " | 19 |
| subverticillatus | " | 23 |
| tenellus | " | 22 |
| terminalis | " | 22 |
| velutinus | " | 22 |
| venetus | " | 20 |
| verminosus | " | 23 |
| Vidovichii | " | 18 |
| **Elachista** | | |
| scutellata | VII | 38 |
| **Encoelium** | | |
| bullosum | IX | 4 |
| clathratum | " | 21 |
| Cystosirae | " | 4 |
| Durvillaei | " | 3 |
| echinatum | " | 3 |
| fistulosum | " | 3 |
| intricatum | " | 3 |
| Mac-Gregorii | " | 4 |
| ramosissimum | " | 3 |
| sinuosum | " | 4 |
| tortile | " | 3 |
| **Entophysalis** | | |
| granulosa | I | 22 |
| **Entospira** | | |
| closteridia | " | 24 |
| **Enteromorpha** | | |
| acanthophora | VI | 12 |
| africana | " | 14 |
| aureola | " | 14 |
| clathrata | " | 12 |
| complanata | " | 14 |
| compressa | " | 13 |
| confervacea | " | 15 |
| corniculata | " | 13 |
| crinita | " | 14 |
| crispa | " | 14 |

| | Vol. | pag. |
|---|---|---|
| **Enteromorpha** | | |
| fucicola | VI | 12 |
| fulvescens | " | 15 |
| gelatinosa | " | 16 |
| Hookeriana | " | 13 |
| intestinalis | " | 11 |
| Jürgensii | " | 15 |
| Linkiana | " | 15 |
| marginata | " | 15 |
| micrococca | " | 11 |
| minima | " | 16 |
| Novae Hollandiae | " | 14 |
| paradoxa | " | 12 |
| pilifera | " | 11 |
| polyclados | " | 13 |
| ramellosa | " | 15 |
| ramulosa | " | 12 |
| salina | " | 13 |
| spermatoidea | " | 11 |
| spinescens | " | 12 |
| tubulosa | " | 11 |
| **Entothrix** | | |
| funicularis | I | 43 |
| **Epineuron** | | |
| fraxinifolium | XIV | 35 |
| lineatum | " | 35 |
| spirale | " | 35 |
| **Epiglossum** | | |
| Smithii | XVI | 4 |
| **Epymenia** | | |
| maxima | XIX | 15 |
| membranacea | " | 15 |
| obtusa | " | 15 |
| **Erythroclonium** | | |
| angustatum | " | 14 |
| Muelleri | XVI | 25 |
| **Euactis** | | |
| aeruginea | II | 24 |
| amoena | " | 23 |
| atra | " | 23 |
| calcivora | " | 24 |
| chrysocoma | " | 24 |
| confluens | " | 24 |
| fluviatilis | " | 25 |
| Heeriana | " | 25 |
| hemisphaerica | " | 24 |
| hospita | " | 24 |
| Jurgensii | " | 24 |
| lacustris | " | 25 |
| Lenormandiana | " | 24 |
| Lens | " | 24 |

| | Vol. | pag. |
|---|---|---|
| **Euactis** | | |
| ligustica | II | 24 |
| marina | " | 23 |
| mollis | " | 25 |
| pachynema | " | 23 |
| plicata | " | 24 |
| prorumpens | " | 24 |
| Regeliana | " | 25 |
| rivularis | " | 25 |
| rufescens | " | 25 |
| scardonitana | " | 25 |
| Shuttleworthiana | " | 25 |
| **Euchemna** | | |
| Gelidium | XIX | 8 |
| **Euctenodus** | | |
| Billardieri | XVIII | 24 |
| echinatus | " | 25 |
| **Euhymenia** | | |
| capensis | XVII | 22 |
| carnosa | XVI | 35 |
| dentata | XVII | 22 |
| dichotoma | " | 21 |
| divisa | " | 23 |
| Dubyi | " | 23 |
| Harveyana | " | 23 |
| Lactuca | " | 21 |
| Limensis | XVI | 34 |
| luxurians | XIX | 12 |
| papulosa | XVII | 22 |
| polychotoma | " | 22 |
| reniformis | " | 23 |
| reptans | XVI | 32 |
| Requienii | XVII | 24 |
| schizophylla | " | 23 |
| seminervis | " | 21 |
| Vidovichii | " | 22 |
| **Eupogodon** | | |
| cervicornis | XIV | 31 |
| flabellatus | " | 31 |
| planus | " | 31 |
| spinellus | " | 31 |
| **Eupogonium** | | |
| Callithamnion | " | 28 |
| capillare | " | 26 |
| dubium | " | 28 |
| hormoclados | " | 27 |
| rigidulum | " | 30 |
| squarrosum | " | 30 |
| villosum | " | 30 |
| **Euptilota** | | |
| formosissima | XII | 18 |
| **Euptilota** | | |
| Harveyi | XII | 18 |
| Pappeana | " | 18 |
| **Fauchea** | | |
| repens | XVIII | 25 |
| **Fischeria** | | |
| thermalis | IV | 20 |
| **Flabellaria** | | |
| conglutinata | VIII | 12 |
| Palmetta | " | 12 |
| **Fucus** | | |
| balticus | X | 6 |
| Cabrera | IX | 37 |
| canaliculatus | X | 6 |
| capensis | " | 7 |
| ceranoides | " | 6 |
| chondrophyllus | " | 7 |
| compressus | " | 6 |
| confluens | " | 8 |
| Desvauxii | XI | 8 |
| distichus | X | 6 |
| evanescens | " | 5 |
| fastigiatus | " | 7 |
| furcatus | " | 7 |
| inermis | IX | 38 |
| interruptus | " | 27 |
| Kakiloides | X | 21 |
| Lamourouxii | VII | 6 |
| lendigerus | XI | 6 |
| leptophyllus | X | 6 |
| limitaneus | " | 6 |
| linearis | " | 7 |
| lineatus | XIV | 35 |
| lutarius | X | 7 |
| Peniculus | VI | 32 |
| Pilularia | XV | 12 |
| Rosa marina | XVII | 24 |
| Saltii | XI | 12 |
| serratus | X | 5 |
| Sherardi | " | 6 |
| Tournefortii | IX | 26 |
| triangularis | XV | 11 |
| uvifer | VII | 6 |
| Veprecula | XIX | 20 |
| verruculosus | XI | 11 |
| vesiculosus | X | 5 |
| Woodwardia | IX | 22 |
| **Furcellaria** | | |
| fastigata | XVII | 29 |
| lumbricalis | " | 30 |

| | Vol. | pag. |
|---|---|---|
| **Galaxaura** | | |
| annulata | VIII | 14 |
| canaliculata | " | 16 |
| cylindrica | " | 14 |
| dilatata | " | 17 |
| indurata | " | 14 |
| lapidescens | " | 18 |
| lichenoides | " | 14 |
| linearis | " | 17 |
| marginata | " | 16 |
| oblongata | " | 16 |
| obtusata | " | 16 |
| plicata | " | 15 |
| rugosa | " | 15 |
| spongiosa | " | 15 |
| tomentosa | " | 18 |
| umbellata | " | 15 |
| Gastridium | | |
| corallinum | XV | 34 |
| Gastroclonium | | |
| Chiajeanum | " | 35 |
| obovatum | " | 35 |
| ovale | " | 35 |
| reflexum | " | 36 |
| Salicornia | " | 36 |
| subarticulatum | " | 35 |
| umbellatum | " | 35 |
| Uvaria | " | 35 |
| Gattya | | |
| pinella | XVI | 20 |
| Gelidium | | |
| acrocarpum | XIX | 8 |
| aculeatum | XVIII | 3 |
| Amansii | " | 16 |
| apiculatum | " | 22 |
| asperulum | " | 15 |
| asperum | " | 15 |
| capillaceum | " | 18 |
| cartilagineum | " | 15 |
| claviferum | " | 19 |
| coarctatum | " | 21 |
| coerulescens | " | 19 |
| compositum | " | 17 |
| confervicola | " | 21 |
| constrictum | " | 21 |
| corallinum | " | 19 |
| corneum | " | 17 |
| crinitum | " | 16 |
| decipiens | " | 17 |
| dentatum | " | 22 |
| elegans | " | 18 |
| fastigatum | " | 21 |

| | Vol. | pag. |
|---|---|---|
| Gelidium | | |
| glandulaefolium | XVIII | 16 |
| hypnoides | " | 17 |
| intricatum | " | 12 |
| lanceolatum | " | 17 |
| lingulatum | " | 23 |
| linoides | " | 20 |
| lucidum | " | 15 |
| microdon | " | 22 |
| micropterum | " | 21 |
| miniatum | " | 20 |
| mirabile | " | 21 |
| multicorne | " | 23 |
| oppositifolium | " | 11 |
| pectinatum | " | 20 |
| pinnatum | " | 17 |
| polyacanthum | " | 23 |
| polycladum | " | 19 |
| " | XIX | 9 |
| pristoides | XVIII | 23 |
| proliferum | " | 19 |
| " | XIX | 9 |
| pulchellum | XVIII | 18 |
| radicans | " | 16 |
| ramelliferum | " | 14 |
| repens | " | 21 |
| rigidum | " | 16 |
| scoparium | " | 16 |
| secundatum | XIX | 9 |
| seminudum | XVIII | 15 |
| sericeum | " | 18 |
| serratum | " | 22 |
| sesquipedale | " | 18 |
| setaceum | " | 18 |
| spinulosum | " | 22 |
| supradecompositum | " | 19 |
| torulosum | " | 20 |
| tripinnatum | XIX | 9 |
| variabile | " | 9 |
| vittatum | XVIII | 23 |
| Geocyclus | | |
| oscillarinus | II | 18 |
| Gigartina | | |
| acicularis | XVIII | 1 |
| aculeata | " | 3 |
| ancistroclada | " | 2 |
| compressa | " | 1 |
| crocea | " | 2 |
| disticha | XIX | 7 |
| falcata | XVIII | 2 |
| filiformis | " | 1 |
| flabellata | " | 2 |

| | Vol. | pag. |
|---|---|---|
| **Gigartina** | | |
| flabellata | XIX | 6 |
| flagelliformis | XVIII | 2 |
| " | XIX | 7 |
| isiformis | XVIII | 3 |
| longipes | IX | 35 |
| ornata | XVIII | 3 |
| pinnata | XIX | 6 |
| pistillata | XVIII | 1 |
| prolifera | XIX | 26 |
| speciosa | XVIII | 3 |
| spinosa | " | 3 |
| subulata | XIX | 10 |
| **Ginnania** | | |
| carnosa | XVI | 30 |
| furcellata | " | 24 |
| irregularis | " | 24 |
| pulvinata | " | 24 |
| salicornoides | " | 25 |
| undulata | " | 24 |
| **Gloeocapsa** | | |
| aeruginosa | I | 17 |
| ampla | " | 14 |
| atrata | " | 17 |
| botryoides | " | 15 |
| compacta | " | 24 |
| confluens | " | 14 |
| conglomerata | " | 15 |
| coracina | " | 17 |
| cryptococoa | " | 15 |
| cryptococcoides | " | 15 |
| didyma | " | 14 |
| fenestralis | " | 15 |
| gelatinosa | " | 15 |
| granosa | " | 25 |
| livida | " | 17 |
| magma | " | 17 |
| mellea | " | 18 |
| microphthalma | " | 25 |
| monococca | " | 18 |
| montana | " | 14 |
| muralis | " | 17 |
| palea | " | 15 |
| Paroliniana | " | 24 |
| Peniocystis | " | 25 |
| polydermatica | " | 15 |
| protuberans | " | 15 |
| purpurea | " | 18 |
| quaternata | " | 15 |
| Ralfsiana | " | 18 |
| rubicunda | " | 17 |
| rupestris | " | 17 |

| | Vol. | pag. |
|---|---|---|
| **Gloeocapsa** | | |
| sanguinolenta | I | 18 |
| Shuttleworthiana | " | 18 |
| squamulosa | " | 18 |
| stillicidiorum | " | 15 |
| violacea | " | 25 |
| **Gloeopeltis** | | |
| tenax | XVIII | 4 |
| **Gloeosiphonia** | | |
| capillaris | XVI | 24 |
| **Gloeotila** | | |
| caldaria | III | 10 |
| cateniformis | " | 10 |
| chlorosira | " | 10 |
| concatenata | " | 10 |
| ferruginea | " | 9 |
| Hormosiphon | " | 15 |
| hyalina | " | 10 |
| mucosa | " | 10 |
| pallida | " | 10 |
| protogenita | " | 10 |
| tectorum | " | 10 |
| **Gomphosphaeria** | | |
| aponina | I | 22 |
| **Gongroceras** | | |
| Agardhianum | XII | 24 |
| chilense | XIII | 2 |
| corniculatum | XII | 25 |
| Deslongchampii | " | 24 |
| fastigatum | " | 24 |
| macrogonium | " | 26 |
| microdendron | " | 26 |
| nodiferum | " | 24 |
| " | " | 30 |
| pellucidum | " | 24 |
| penicillatum | " | 24 |
| ramulosum | " | 25 |
| strictum | " | 24 |
| subtile | XIII | 1 |
| tenuicorne | XII | 25 |
| tenuissimum | " | 25 |
| ungulatum | " | 25 |
| **Gongrosira** | | |
| clavata | IV | 23 |
| dichotoma | " | 22 |
| ericetorum | " | 23 |
| pygmaea | " | 23 |
| Sclerococcus | " | 23 |
| **Goniotrichum** | | |
| ceramicola | III | 7 |
| dichotomum | " | 7 |

| | Vol. | pag. |
|---|---|---|
| Gracilaria | | |
| Domingensis | XIX | 8 |
| dumosa | " | 8 |
| erecta | XVIII | 5 |
| obscura | XIX | 8 |
| Grammita | | |
| subulata | XIII | 18 |
| Grateloupia | | |
| aucklandica | XVII | 2 |
| caudata | " | 7 |
| concatenata | " | 7 |
| conferta | " | 7 |
| Consentinii | " | 10 |
| coriacea | " | 9 |
| cuneifolia | " | 10 |
| Cutleriae | " | 11 |
| denticulata | " | 11 |
| dichotoma | " | 9 |
| emarginata | " | 9 |
| filicina | " | 7 |
| filiformis | " | 8 |
| fimbriata | " | 9 |
| furcata | " | 7 |
| gorgonioides | " | 9 |
| horrida | " | 8 |
| Lanceola | " | 8 |
| lancifolia | " | 10 |
| neglecta | " | 8 |
| opposita | " | 9 |
| Pennatula | " | 8 |
| porracea | " | 8 |
| prolongata | " | 7 |
| Proteus | " | 10 |
| schizophylla | " | 11 |
| scutellata | " | 8 |
| verruculosa | " | 10 |
| Griffithsia | | |
| antarctica | XII | 8 |
| arachnoidea | " | 11 |
| Argus | " | 6 |
| barbata | " | 8 |
| Binderiana | " | 8 |
| chilensis | " | 7 |
| Corallina | " | 7 |
| crinita | " | 7 |
| cymiflora | " | 8 |
| dalmatica | " | 9 |
| devoniensis | " | 9 |
| Duriaei | " | 11 |
| furcellata | " | 10 |
| globulifera | " | 10 |
| grandis | " | 7 |

| | Vol. | pag. |
|---|---|---|
| Griffithsia | | |
| heteromorpha | XIII | 2 |
| irregularis | XII | 9 |
| ligustica | " | 10 |
| neapolitana | " | 9 |
| opuntioides | " | 9 |
| phyllamphora | " | 10 |
| pogonoides | " | 8 |
| radicans | " | 11 |
| ramellosa | " | 10 |
| repens | " | 11 |
| Schousboei | " | 9 |
| secundiflora | " | 8 |
| setacea | " | 7 |
| sphaerica | " | 9 |
| subverticillata | " | 8 |
| tasmannica | " | 7 |
| tenuis | " | 10 |
| Gulsonia | | |
| annulata | XVI | 23 |
| Gyges sanguineus | I | 1 |
| Gymnogongrus | | |
| amuicus | XIX | 25 |
| comosus | " | 25 |
| densus | " | 24 |
| filiformis | " | 25 |
| foliosus | " | 23 |
| furcatus | " | 24 |
| furcellatus | " | 24 |
| gigartinoides | " | 26 |
| glomeratus | " | 24 |
| Griffithsiae | " | 24 |
| implicatus | " | 26 |
| ligulatus | " | 23 |
| nodosus | " | 26 |
| parthenopaeus | " | 25 |
| plicatus | " | 25 |
| Polyides | " | 26 |
| pygmaeus | " | 24 |
| setaceus | " | 25 |
| tentaculatus | " | 24 |
| Gymnophlaea | | |
| Biasolettiana | XVI | 21 |
| canariensis | " | 21 |
| caulescens | " | 22 |
| dichotoma | " | 21 |
| furcellata | " | 21 |
| gracilis | XVII | 1 |
| incrassata | XVI | 21 |
| prismatica | " | 21 |

| | Vol. | pag. |
|---|---|---|
| Haematococcus | | |
| Noltii | I | 7 |
| Orsinii | " | 2 |
| pluvialis | " | 2 |
| Halarachnion | | |
| aciculare | XVI | 30 |
| elongatum | " | 35 |
| ligulatum | " | 30 |
| Naegelii | " | 30 |
| pinnulatum | " | 31 |
| spathulatum | " | 31 |
| ventricosum | " | 31 |
| Halerica | | |
| aculeata | X | 15 |
| amentacea | " | 15 |
| corniculata | " | 14 |
| ericoides | " | 14 |
| lupulina | " | 15 |
| sedoides | " | 15 |
| selaginoides | " | 15 |
| squarrosa | " | 16 |
| tenuis | " | 16 |
| vulpina | " | 15 |
| Halidrys | | |
| osmundacea | " | 23 |
| siliquosa | " | 23 |
| Haligone | | |
| rosea | XVI | 23 |
| Halimeda | | |
| brevicaulis | VIII | 11 |
| cuneata | VII | 8 |
| macroloba | " | 8 |
| monile | VIII | 11 |
| multicaulis | VII | 8 |
| obovata | VIII | 11 |
| Opuntia | VII | 8 |
| tridens | " | 9 |
| triloba | " | 9 |
| Tuna | " | 8 |
| Halochloa | | |
| longifolia | X | 35 |
| macracantha | " | 34 |
| micracantha | " | 34 |
| pachycarpa | " | 34 |
| pallida | " | 33 |
| patens | XI | 1 |
| polyacantha | X | 34 |
| schizophylla | XI | 1 |
| scoparia | X | 33 |
| serratifolia | " | 35 |

| | Vol. | pag. |
|---|---|---|
| Halochloa | | |
| siliquastrum | X | 34 |
| tortilis | " | 34 |
| Halodictyon | | |
| mirabile | XII | 12 |
| Haloglossum | | |
| Griffithsianum | IX | 21 |
| Halopitys | | |
| australasica | XV | 10 |
| elata | " | 15 |
| pinastroides | " | 10 |
| Haloplegma | | |
| africanum | XII | 19 |
| Cornu Damae | " | 19 |
| Duperreyi | " | 19 |
| Preisii | " | 19 |
| Halopteris | | |
| filicina | V | 25 |
| sertularia | " | 25 |
| Halorhiza | | |
| vaga | VIII | 11 |
| Halosaccion | | |
| coronatum | XVI | 28 |
| cylindricum | " | 28 |
| decapitatum | " | 28 |
| firmum | " | 28 |
| hydrophorum | " | 28 |
| Lepechini | " | 28 |
| saccatum | " | 27 |
| Halurus | | |
| equisetifolius | XII | 11 |
| simplicifilum | " | 11 |
| Halymenia | | |
| capensis | XVI | 21 |
| carnosa | " | 35 |
| " | XVII | 6 |
| ceylanica | XVI | 33 |
| chondricola | " | 33 |
| Cliftoni | " | 33 |
| cyclocolpa | " | 34 |
| elongata | " | 35 |
| Floresia | " | 31 |
| formosa | " | 33 |
| lapathifolia | " | 35 |
| latifolia | " | 34 |
| latissima | " | 33 |
| " | " | 35 |
| Limensis | " | 34 |
| Monardiana | XVII | 1 |
| Muelleri | XVI | 34 |
| Novae Zeelandiae | " | 31 |

| | Vol. | pag. |
|---|---|---|
| **Halymenia** | | |
| patens | XVI | 34 |
| pinnulata | " | 31 |
| Platyna | XVII | 5 |
| pusilla | XVI | 32 |
| reptans | " | 32 |
| spataeformis | " | 32 |
| spathulata | " | 31 |
| tenuispina | XVII | 1 |
| trigona | XVI | 32 |
| Usnea | XVII | 1 |
| ventricosa | XVI | 31 |
| **Halyseris** | | |
| australis | IX | 22 |
| delicatula | " | 23 |
| dichotoma | " | 23 |
| Justii | " | 22 |
| ligulata | " | 24 |
| macrocarpa | " | 23 |
| Muelleri | " | 23 |
| pardalis | " | 24 |
| plagiogramma | " | 23 |
| polypodioides | " | 22 |
| sandvicensis | " | 23 |
| serrata | " | 24 |
| Woodwardia | " | 22 |
| **Hanowia** | | |
| australis | XII | 12 |
| **Hapalidium** | | |
| Phyllactidium | XIX | 33 |
| roseolum | " | 33 |
| **Hapalosiphon** | | |
| Braunii | II | 9 |
| **Hennedya** | | |
| crispa | XIX | 14 |
| **Herpochaeta** | | |
| fastigata | VII | 1 |
| verticillata | " | 1 |
| **Heteractis** | | |
| mesenterica | II | 20 |
| pruniformis | " | 20 |
| **Heterocladia** | | |
| prolifera | XVI | 3 |
| **Hildenbrandtia** | | |
| Dubyi | XIX | 32 |
| Nardi | " | 33 |
| rosea | " | 32 |
| sanguinea | " | 32 |
| **Himanthalia** | | |
| australis | X | 3 |

| | Vol. | pag. |
|---|---|---|
| **Himanthalia** | | |
| gladiata | X | 3 |
| lorea | " | 3 |
| **Hormoceras** | | |
| acrocarpum | XIII | 1 |
| Biasolettianum | XII | 23 |
| cateniforme | " | 22 |
| Catenula | " | 22 |
| circinnatum | " | 21 |
| confluens | " | 22 |
| decurrens | " | 22 |
| diaphanum | " | 21 |
| duriusculum | " | 22 |
| flaccidum | " | 21 |
| fruticulosum | " | 23 |
| gracillimum | " | 21 |
| lobatum | " | 30 |
| moniliforme | " | 21 |
| nodosum | " | 20 |
| perversum | " | 23 |
| polyceras | " | 20 |
| polygonum | " | 21 |
| " | " | 30 |
| pulchellum | " | 23 |
| pygmaeum | " | 23 |
| siliquosum | " | 23 |
| syntrophum | " | 23 |
| transfugum | " | 30 |
| variegatum | " | 23 |
| **Hormocystis** | | |
| Kuetzingiana | XI | 28 |
| **Hormophysa** | | |
| articulata | X | 22 |
| latifrons | " | 22 |
| triquetra | " | 22 |
| **Hormosiphon** | | |
| coriaceus | II | 4 |
| furfuraceus | " | 4 |
| granularis | " | 5 |
| gypsophilus | " | 4 |
| heterothrix | " | 5 |
| inundatus | " | 7 |
| irregularis | " | 4 |
| lichenoides | " | 4 |
| macrosiphon | " | 4 |
| macrosporus | " | 4 |
| margaritaceus | " | 4 |
| natans | " | 8 |
| papyreus | " | 4 |
| stagnalis | " | 7 |
| tenuissimus | " | 4 |

| | Vol. | pag. |
|---|---|---|
| **Hormosira** | | |
| Banksii | X | 2 |
| Billardierii | " | 2 |
| gracilis | " | 2 |
| nodularia | " | 2 |
| obconica | " | 2 |
| pumila | " | 2 |
| Sieberi | " | 2 |
| **Hormospora** | | |
| mutabilis | II | 26 |
| plena | " | 26 |
| transversalis | " | 26 |
| **Hormotrichum** | | |
| albicans | III | 20 |
| bangioides | " | 20 |
| Carmichaelii | " | 20 |
| collabens | " | 21 |
| didymum | " | 20 |
| fasciculare | " | 20 |
| flaccum | " | 20 |
| globiferum | " | 20 |
| gracile | " | 20 |
| isogonum | " | 20 |
| penicilliforme | " | 20 |
| vermiculare | " | 20 |
| viridi-fuscum | " | 16 |
| Wormskioldii | " | 21 |
| Youngianum | " | 20 |
| **Hydrococcus** | | |
| Brebissonii | I | 23 |
| Bremii | " | 37 |
| rivularis | " | 23 |
| ulvaceus | " | 23 |
| **Hydrocoleum** | | |
| Brebissonii | " | 35 |
| calcilegum | II | 24 |
| helveticum | I | 39 |
| heterotrichum | " | 36 |
| homoeotrichum | " | 35 |
| lyngbyaceum | " | 37 |
| Meneghinianum | " | 36 |
| thermale | " | 38 |
| **Hydrocytium** | | |
| acuminatum | VI | 25 |
| **Hydrodictyon** | | |
| utriculatum | V | 11 |
| **Hydropuntia** | | |
| Urvillaei | XVII | 28 |
| **Hydroclathrus** | | |
| cancellatus | IX | 21 |

| | Vol. | pag. |
|---|---|---|
| **Hydrurus** | | |
| crystallophorus | I | 24 |
| Ducluzelii | " | 23 |
| flagelliformis | " | 24 |
| irregularis | " | 24 |
| Leibleinii | " | 23 |
| penicillatus | " | 23 |
| sporochnoides | " | 24 |
| Vaucherii | " | 23 |
| **Hymenena** | | |
| fimbriata | XVI | 9 |
| fissa | " | 9 |
| **Hypheothrix** | | |
| aeruginea | II | 24 |
| Braunii | I | 41 |
| Bremiana | " | 41 |
| calcarea | " | 41 |
| cataractarum | " | 42 |
| Confervae | " | 41 |
| coriacea | " | 41 |
| cyanea | " | 42 |
| delicatula | " | 42 |
| fasciculata | " | 42 |
| fonticola | " | 42 |
| Hegetschweileri | " | 40 |
| incrustata | " | 42 |
| involvens | " | 42 |
| lateritia | " | 41 |
| Leveilleana | " | 41 |
| Meneghinii | " | 41 |
| Naegelii | " | 42 |
| pallida | " | 42 |
| pulvinata | " | 42 |
| Regeliana | " | 41 |
| scopulorum | " | 42 |
| subcontinua | " | 41 |
| subtilis | " | 41 |
| toficola | " | 42 |
| turicensis | " | 42 |
| variegata | " | 40 |
| violacea | " | 41 |
| vulpina | " | 41 |
| Zenkeri | " | 41 |
| **Hypnaea** | | |
| alopecuroides | XVIII | 8 |
| aspera | " | 14 |
| ceramioides | " | 8 |
| charoides | " | 8 |
| chordacea | " | 10 |
| conferta | " | 10 |
| denudata | " | 8 |
| divaricata | " | 9 |

| | Vol. | pag. |
|---|---|---|
| **Hypnaea** | | |
| Eckloni | XVIII | 9 |
| episcopalis | " | 10 |
| erecta | " | 10 |
| Esperi | " | 9 |
| fruticulosa | " | 10 |
| hamulosa | " | 7 |
| Harveyi | " | 10 |
| hippuroides | " | 7 |
| musciformis | " | 7 |
| pannosa | " | 9 |
| rigens | " | 8 |
| Rissoana | " | 7 |
| rugulosa | " | 9 |
| secundiramea | " | 11 |
| setacea | " | 11 |
| spicifera | " | 10 |
| spinella | " | 9 |
| uncinata | " | 8 |
| vaga | " | 8 |
| Valentiae | " | 7 |
| **Hypoglossum** | | |
| alatum | XVI | 7 |
| angustissimum | " | 7 |
| bipinnatifidum | " | 6 |
| carpophyllum | " | 7 |
| confervaceum | " | 5 |
| crassinervium | " | 5 |
| crispum | " | 6 |
| denticulatum | " | 6 |
| endiviaefolium | XIX | 4 |
| Leprieurii | XVI | 5 |
| Lyalii | " | 6 |
| minutum | " | 6 |
| Muelleri | " | 5 |
| ruscifolium | " | 5 |
| spathulatum | XIX | 5 |
| Vieillardi | XVI | 4 |
| Woodwardii | " | 5 |
| **Jania cf. Corallina** | | |
| **Jeanerettia** | | |
| latifolia | XVI | 2 |
| lobata | " | 2 |
| **Inactis** | | |
| corsicana | I | 44 |
| crustacea | " | 44 |
| italica | " | 44 |
| pulvinata | " | 44 |
| tornata | " | 44 |
| vaginata | " | 44 |

| | Vol. | pag. |
|---|---|---|
| **Inochorion** | | |
| cervicorne | XVI | 9 |
| dichotomum | " | 9 |
| **Inoderma** | | |
| fontanum | I | 13 |
| lamellosum | " | 13 |
| **Inomeria** | | |
| granulosa | II | 25 |
| Roemeriana | " | 25 |
| umbilicata | " | 26 |
| **Iridaea** | | |
| carnosa | XVII | 5 |
| ciliata | " | 4 |
| cordata | " | 2 |
| cornea | " | 6 |
| curvata | " | 5 |
| Cutleriae | " | 11 |
| dentata | " | 5 |
| dichotoma | " | 5 |
| edulis | " | 2 |
| " | " | 29 |
| elliptica | " | 2 |
| fimbriata | " | 3 |
| gigantea | " | 3 |
| heterococca | " | 4 |
| irregularis | " | 3 |
| labyrinthifolia | " | 6 |
| laminarioides | " | 3 |
| lapathifolia | " | 5 |
| Montagnei | " | 2 |
| Mertensiana | " | 4 |
| micans | " | 3 |
| micrococca | " | 4 |
| minor | " | 2 |
| obovata | " | 3 |
| orbitosa | " | 3 |
| Papeana | " | 6 |
| Platyna | " | 5 |
| pulchra | " | 2 |
| violacea | " | 3 |
| **Kuetzingia** | | |
| canaliculata | XV | 4 |
| natalensis | XIX | 6 |
| **Laurencia** | | |
| affinis | XV | 17 |
| arbuscula | " | 25 |
| botryocephala | " | 23 |
| botryoides | " | 25 |
| californica | " | 24 |

| Laurencia | Vol. | pag. |
|---|---|---|
| calliptera | XV | 24 |
| canariensis | " | 18 |
| capensis | " | 16 |
| capitata | " | 25 |
| cladonioides | " | 19 |
| concinna | " | 24 |
| corymbifera | " | 20 |
| cryptoclada | XVI | 2 |
| cyanosperma | XV | 21 |
| cylindrica | " | 23 |
| cymosa | " | 21 |
| " | " | 25 |
| dasyphylla | " | 16 |
| decumbens | " | 18 |
| elata | " | 24 |
| ericoides | " | 26 |
| excelsa | " | 23 |
| fasciculata | " | 17 |
| flagellifera | " | 19 |
| flexuosa | " | 24 |
| Forsteri | " | 17 |
| glandulifera | " | 21 |
| glomerata | " | 26 |
| hybrida | " | 23 |
| intricata | " | 22 |
| laxa | " | 21 |
| major | " | 25 |
| mexicana | " | 25 |
| microcladia | " | 22 |
| moriformis | " | 25 |
| multiflora | " | 21 |
| obtusa | " | 19 |
| oophora | " | 20 |
| Osmunda | " | 23 |
| paniculata | " | 22 |
| papillosa | " | 22 |
| patentiramea | " | 21 |
| patentissima | " | 20 |
| perforata | " | 18 |
| pinnatifida | " | 23 |
| platycephala | " | 23 |
| pyramidalis | " | 19 |
| pyrifera | " | 16 |
| radicans | " | 18 |
| setacea | " | 22 |
| seticulosa | " | 19 |
| spinulifera | " | 22 |
| thuyoides | " | 26 |
| thyrsoidea | " | 22 |
| trifaria | " | 26 |
| truncata | " | 19 |
| uncinata | " | 16 |

| Laurencia | Vol. | pag. |
|---|---|---|
| vaga | XV | 18 |
| Vieillardi | " | 17 |
| Wrightii | XVII | 18 |
| Leathesia | | |
| Berkeleyi | VIII | 2 |
| flaccida | " | 3 |
| marina | " | 2 |
| Leibleinia | | |
| aequalis | I | 46 |
| aeruginea | " | 46 |
| atroviolacea | " | 36 |
| australis | " | 46 |
| capillacea | " | 47 |
| cespitula | " | 47 |
| chalybea | " | 46 |
| Cirrulus | " | 47 |
| Corallinae | " | 46 |
| flaccida | " | 46 |
| Hoffmanni | " | 46 |
| Juliana | " | 46 |
| luteola | " | 46 |
| Martensiana | " | 44 |
| Meneghiniana | " | 46 |
| penicillata | " | 46 |
| polychroa | " | 47 |
| purpurea | " | 46 |
| rupestris | " | 46 |
| semiplena | " | 47 |
| sordida | " | 46 |
| virescens | " | 46 |
| Lejolisia | | |
| mediterranea | XI | 30 |
| Lemania | | |
| abyssinica | VII | 34 |
| adulta | " | 33 |
| annulata | " | 33 |
| botryophora | " | 33 |
| catenata | " | 34 |
| Corinaldii | " | 35 |
| fluviatilis | " | 33 |
| italica | " | 34 |
| mamillosa | " | 33 |
| mexicana | " | 34 |
| nodosa | " | 34 |
| sudetica | " | 33 |
| torulosa | " | 33 |
| Lenormandia | | |
| linearis | XIX | 20 |
| marginata | XV | 4 |
| Muelleri | XIX | 6 |
| spectabilis | XV | 3 |

| | Vol. | pag. |
|---|---|---|
| Lepraria | | |
| viridis | I | 4 |
| Leptomitus | | |
| investiens | II | 21 |
| Leptothamnion | | |
| Rabenhorstii | XII | 6 |
| Leptothrix | | |
| aeruginosa | I | 40 |
| brevissima | " | 39 |
| calcicola | " | 41 |
| cespitosa | " | 39 |
| compacta | " | 40 |
| cyanea | " | 39 |
| dalmatica | " | 40 |
| Dictyothrix | " | 39 |
| dubia | " | 39 |
| fontana | " | 39 |
| gloeophila | " | 6 |
| Hegetschweileri | " | 40 |
| herbacea | " | 40 |
| ianthina | " | 38 |
| jadertina | " | 40 |
| Kermesina | " | 39 |
| Kohleri | " | 41 |
| Kuetzingiana | " | 40 |
| lamellosa | " | 40 |
| lateritia | " | 39 |
| lurida | " | 39 |
| lutea | " | 39 |
| lutescens | " | 39 |
| mamillosa | " | 39 |
| miraculosa | " | 6 |
| " | " | 40 |
| muralis | " | 41 |
| ochracea | " | 39 |
| olivacea | " | 40 |
| pallida | " | 40 |
| parasitica | " | 38 |
| purpurascens | " | 39 |
| radians | " | 38 |
| rigidula | " | 38 |
| rosea | " | 39 |
| rufescens | " | 39 |
| subtilissima | " | 40 |
| tenuissima | " | 40 |
| tinctoria | " | 38 |
| tomentosa | " | 40 |
| variegata | " | 40 |
| Leveillea | | |
| gracilis | XV | 3 |
| Schimperi | " | 3 |

| | Vol. | pag. |
|---|---|---|
| Liagora | | |
| albicans | VIII | 43 |
| australasica | " | 44 |
| Cheyniana | " | 44 |
| coarctata | " | 43 |
| distenta | " | 42 |
| elongata | " | 45 |
| fragilis | " | 45 |
| leprosa | " | 44 |
| maderensis | " | 43 |
| Preissii | " | 45 |
| pulverulenta | " | 42 |
| ramellosa | " | 46 |
| Turneri | " | 43 |
| valida | " | 44 |
| versicolor | " | 46 |
| viscida | " | 45 |
| Liebmannia | | |
| Leveillei | " | 4 |
| Posidoniae | " | 6 |
| Limnactis | | |
| dura | II | 21 |
| flagellifera | " | 21 |
| Lyngbyana | " | 21 |
| minutula | " | 21 |
| Orsiniana | " | 21 |
| parvula | " | 21 |
| rivularis | " | 21 |
| Schnurmanni | " | 21 |
| Limnochlide | | |
| flos aquae | I | 49 |
| Lithothamnion | | |
| byssoides | XIX | 35 |
| crassum | " | 35 |
| Lomentaria | | |
| affinis | XV | 31 |
| ambigua | " | 33 |
| articulata | " | 31 |
| brevis | " | 32 |
| calida | " | 30 |
| capensis | " | 32 |
| corallina | " | 34 |
| dasyclada | " | 33 |
| fasciata | " | 31 |
| fastigata | " | 34 |
| filiformis | " | 34 |
| impudica | " | 33 |
| intertexta | " | 32 |
| kaliformis | " | 31 |
| Kotschyana | " | 32 |
| linearis | " | 30 |
| parvula | " | 31 |

| | Vol | pag. |
|---|---|---|
| Lomentaria | | |
| patens | XV | 32 |
| phalligera | " | 32 |
| pusilla | " | 34 |
| squarrosa | " | 32 |
| tenera | " | 34 |
| torulosa | " | 33 |
| Lophopodium | I | 45 |
| Lophothalia | | |
| verticillata | XIV | 30 |
| Lophura | | |
| armata | XVI | 2 |
| australasica | XV | 15 |
| cymosa | " | 13 |
| episcopalis | " | 15 |
| floccosa | " | 14 |
| Gaimardi | " | 15 |
| gracilis | " | 13 |
| Larix | " | 14 |
| lycopodioides | " | 14 |
| macracantha | " | 14 |
| multicornis | " | 15 |
| patula | " | 14 |
| tenuis | " | 14 |
| Lyngbya | | |
| aeruginosa | I | 48 |
| ambigua | " | 47 |
| amphibia | " | 47 |
| anguina | " | 49 |
| arachnoidea | " | 48 |
| cinerascens | " | 48 |
| cincinnata | " | 48 |
| conglutinata | " | 47 |
| copulata | II | 32 |
| crispa | I | 48 |
| dalmatica | " | 47 |
| erosa | " | 49 |
| glutinosa | " | 48 |
| guianensis | " | 48 |
| interrupta | " | 48 |
| Juliana | " | 46 |
| luteo-fusca | " | 48 |
| major | " | 49 |
| majuscula | " | 49 |
| Mandruzzatiana | " | 47 |
| margaritacea | " | 49 |
| mauritanica | " | 49 |
| obscura | " | 48 |
| pacifica | " | 49 |
| pannosa | " | 48 |
| Phormidium | " | 47 |
| prasina | " | 49 |

| | Vol. | pag. |
|---|---|---|
| Lyngbya | | |
| pulcherrima | I | 49 |
| putealis | " | 47 |
| rivularis | " | 48 |
| salina | " | 48 |
| Schowiana | " | 47 |
| solitaris | " | 47 |
| stagnina | " | 48 |
| Stragulum | " | 47 |
| thermalis | " | 48 |
| tomentosa | " | 47 |
| tropica | " | 49 |
| Marginaria | | |
| Boryana | XI | 7 |
| Jasquinotiana | " | 7 |
| Urvilleana | " | 7 |
| Martensia | | |
| australis | XIX | 22 |
| denticulata | " | 22 |
| elegans | " | 21 |
| flabelliformis | " | 22 |
| fragilis | " | 22 |
| Pavonia | " | 22 |
| Mastichonema | | |
| cespitosum | II | 14 |
| fasciculatum | " | 14 |
| Orsinianum | " | 14 |
| paradoxum | " | 14 |
| pluviale | " | 14 |
| subulatum | " | 14 |
| thermale | " | 13 |
| Mastichothrix | | |
| aeruginea | II | 13 |
| fusca | " | 13 |
| " | " | 21 |
| obscura | IX | 1 |
| Mastocarpus | | |
| alveatus | XVII | 11 |
| bracteatus | " | 13 |
| corymbiferus | " | 13 |
| Harveyanus | " | 13 |
| incrassatus | " | 13 |
| Klenzeanus | " | 14 |
| mamillosus | " | 12 |
| marginalis | " | 11 |
| papillatus | " | 13 |
| polycarpus | " | 13 |
| polycystis | " | 13 |
| Radula | " | 13 |
| spinosus | " | 13 |

| | Vol. | pag. |
|---|---|---|
| **Mastocarpus** | | |
| stiriatus | XVII | 12 |
| validus | " | 14 |
| verrucosus | " | 13 |
| volans | " | 14 |
| **Mastophora** | | |
| crassiuscula | VIII | 47 |
| flabellata | " | 47 |
| foliacea | " | 48 |
| Lamourouxii | " | 47 |
| lichenoides | " | 47 |
| macrocarpa | " | 48 |
| Patena | " | 47 |
| plana | " | 47 |
| **Melanthalia** | | |
| Billardieri | XIX | 15 |
| fastigata | " | 16 |
| Jaubertiana | " | 16 |
| Muelleri | " | 16 |
| Vieillardi | " | 16 |
| **Melobesia** | | |
| antarctica | " | 34 |
| corticiformis | " | 34 |
| farinosa | " | 34 |
| foliacea | VIII | 48 |
| granulata | XIX | 34 |
| membranacea | " | 33 |
| pustulata | " | 33 |
| verrucata | " | 34 |
| **Merismopoedia** | | |
| aeruginea | V | 13 |
| convoluta | " | 13 |
| elegans | " | 13 |
| glauca | " | 13 |
| hyalina | " | 13 |
| major | " | 13 |
| punctata | " | 13 |
| thermalis | " | 13 |
| violacea | " | 13 |
| **Merizomyria** | | |
| flagelliformis | II | 13 |
| flos aquae | " | 13 |
| fluctuans | " | 13 |
| laminosa | " | 13 |
| litoralis | " | 13 |
| ulvoides | " | 13 |
| **Mesocarpus** | | |
| angustus | V | 2 |
| depressus | " | 2 |
| intricatus | " | 2 |
| nummuloides | " | 2 |

| | Vol. | pag. |
|---|---|---|
| **Mesocarpus** | | |
| ovalis | V | 2 |
| parvulus | " | 2 |
| recurvus | " | 2 |
| scalaris | " | 2 |
| **Mesogloea** | | |
| divaricata | VIII | 4 |
| gracilis | " | 5 |
| Griffithsiana | " | 4 |
| Hornemanni | " | 5 |
| Leveillei | " | 4 |
| Lovenii | " | 3 |
| mediterranea | " | 3 |
| natalensis | " | 5 |
| Posidoniae | " | 6 |
| vermicularis | " | 3 |
| virescens | " | 4 |
| Zosterae | " | 3 |
| **Metachroma** | | |
| thuyoides | IX | 36 |
| **Micraloa** | | |
| aeruginea | I | 6 |
| protogenita | " | 9 |
| **Micramansia** | | |
| Binderi | XV | 2 |
| **Microcladia** | | |
| glandulosa | XIII | 8 |
| tenuis | " | 8 |
| **Microcystis** | I | 7 |
| aeruginea | " | 6 |
| austriaca | " | 7 |
| Brebissonii | " | 25 |
| elabens | " | 6 |
| ichthyoblabe | " | 6 |
| livida | " | 17 |
| marginata | " | 6 |
| microspora | " | 11 |
| minor | " | 9 |
| Noltii | " | 7 |
| olivacea | " | 7 |
| parasitica | " | 7 |
| Paroliniana | " | 25 |
| pulchra | " | 4 |
| rupestris | " | 15 |
| stereophysalis | " | 20 |
| umbrina | " | 1 |
| **Microdictyon** | | |
| Calodictyon | VII | 10 |
| **Microhaloa** | | |
| aurantiaca | I | 5 |
| botryoides | " | 6 |

| | Vol. | pag. |
|---|---|---|
| Microhaloa | | |
| firma | I | 6 |
| pallida | " | 5 |
| Pini | " | 9 |
| protogenita | " | 6 |
| rupestris | " | 6 |
| Microthamnion | | |
| Kuetzingianum | III | 1 |
| marinum | " | 18 |
| Monas | | |
| gliscens | I | 1 |
| Mougeotia | | |
| affinis | V | 1 |
| brevis | " | 1 |
| compressa | " | 1 |
| decussata | " | 1 |
| fasciola | " | 1 |
| genuflexa | " | 1 |
| " | " | 11 |
| gracilis | " | 1 |
| radicans | " | 1 |
| splendens | " | 1 |
| subtilis | " | 1 |
| tenuis | " | 1 |
| Myagropsis | | |
| Comelina | X | 32 |
| microceratia | " | 33 |
| Swartzii | " | 33 |
| Thunbergii | " | 33 |
| Turneri | " | 32 |
| Mychodea | | |
| carnosa | XVI | 27 |
| coerulescens | " | 30 |
| compressa | " | 27 |
| chondroides | XVII | 24 |
| filiformis | " | 24 |
| hamata | XVI | 27 |
| Mallardiae | " | 27 |
| membranacea | " | 27 |
| terminalis | " | 26 |
| Myriactis | | |
| pulvinata | VII | 37 |
| Myriocladia | | |
| Lovenii | VIII | 3 |
| Posidoniae | " | 6 |
| Myriodesma | | |
| angustifolium | X | 5 |
| integrifolium | " | 5 |
| latifolium | " | 4 |
| quercifolium | " | 4 |
| serrulatum | " | 4 |

| | Vol. | pag. |
|---|---|---|
| Myrionema | | |
| inaequale | VIII | 2 |
| Leclancherii | VII | 38 |
| maculiforme | " | 37 |
| ocellatum | " | 38 |
| punctiforme | " | 38 |
| strangulans | " | 37 |
| Myriotrichia | | |
| canariensis | VI | 2 |
| clavaeformis | " | 2 |
| filiformis | " | 2 |
| Naccaria | | |
| Wigghii | XVI | 24 |
| Nemalion | | |
| clavatum | " | 22 |
| coccineum | " | 23 |
| divaricatum | " | 22 |
| filicoides | " | 23 |
| lubricum | " | 22 |
| multifidum | " | 22 |
| purpureum | " | 22 |
| purpuriferum | " | 23 |
| ramosissimum | " | 23 |
| Nereia | | |
| Montagnei | IX | 32 |
| Neurocaulon | | |
| foliosum | XVII | 24 |
| Rosa marina | " | 24 |
| Neuroglossum | | |
| Binderianum | XVI | 3 |
| Nitella | | |
| acmula | VII | 17 |
| ambigua | " | 17 |
| australis | " | 11 |
| batrachosperma | " | 14 |
| Bertolonii | " | 11 |
| chilensis | " | 13 |
| cladostachya | " | 12 |
| clavata | " | 32 |
| congesta | " | 17 |
| cristata | " | 16 |
| cryptostachya | " | 12 |
| Dregeana | " | 15 |
| exilis | " | 13 |
| fasciculata | " | 14 |
| flexilis | " | 13 |
| gelatinosa | " | 11 |
| glomerulifera | " | 32 |
| gracilis | " | 14 |
| grandis | " | 14 |
| Gunnii | " | 16 |

| | Vol. | pag. |
|---|---|---|
| **Nitella** | | |
| heterophylla | VII | 19 |
| hyalina | " | 14 |
| Lhotykii | " | 15 |
| macrosperma | " | 13 |
| microstachya | " | 12 |
| mucronata | " | 13 |
| myriotricha | " | 15 |
| nidifica | " | 14 |
| podostachya | " | 12 |
| polycephala | " | 13 |
| polygyra | " | 17 |
| Sonderi | " | 17 |
| stelligera | " | 11 |
| Stuartiana | " | 11 |
| Stuartii | " | 17 |
| syncarpa | " | 13 |
| tasmannica | " | 16 |
| tenuissima | " | 14 |
| translucens | " | 10 |
| Zeyheri | " | 15 |
| **Nitophyllum** | | |
| ciliolatum | XIX | 3 |
| crispum | XVI | 10 |
| Curdiaeanum | XIX | 1 |
| erosum | " | 2 |
| fimbriatum | " | 2 |
| Griffithsianum | " | 1 |
| marginale | " | 2 |
| monanthos | " | 4 |
| multipartitum | " | 3 |
| palmatum | " | 2 |
| pristoideum | " | 2 |
| pulchellum | " | 2 |
| **Nodularia** | | |
| spumigera | I | 54 |
| Suhriana | " | 54 |
| **Nostoc** | | |
| agglutinans | II | 3 |
| alpinum | " | 2 |
| arctum | " | 3 |
| aureum | " | 1 |
| Beilschmiedianum | " | 3 |
| calcicola | " | 4 |
| Coccymelon | " | 2 |
| coeruleum | " | 2 |
| collinum | " | 3 |
| comminutum | " | 3 |
| commune | " | 2 |
| confluens | " | 1 |
| edule | " | 1 |
| glomeratum | " | 2 |

| | Vol. | pag. |
|---|---|---|
| **Nostoc** | | |
| gregarium | II | 1 |
| gymnosphaericum | " | 2 |
| inundatum | " | 1 |
| lacerum | " | 2 |
| laciniatum | " | 2 |
| lacustre | " | 4 |
| laevigatum | " | 3 |
| lichenoides | " | 1 |
| litorale | " | 3 |
| minutissimum | " | 1 |
| Mougeotii | " | 3 |
| Muscorum | " | 2 |
| nivale | " | 3 |
| paludosum | " | 1 |
| parmelioides | " | 2 |
| pellucidum | " | 3 |
| peloponnesiacum | " | 3 |
| piscinale | " | 4 |
| pruniforme | " | 2 |
| purpurascens | " | 4 |
| rivulare | " | 3 |
| rugosum | " | 4 |
| rupestre | " | 1 |
| salsum | " | 3 |
| sphaericum | " | 1 |
| sphaeroides | " | 2 |
| spongiaeforme | " | 3 |
| sudeticum | " | 3 |
| tuberculosum | " | 2 |
| verrucosum | " | 3 |
| vesicarium | " | 1 |
| Wallrothianum | " | 2 |
| **Notheia** | | |
| anomala | X | 1 |
| **Nothogenia** | | |
| livida | XIX | 17 |
| tuberculosa | " | 17 |
| variolosa | " | 17 |
| **Odonthalia** | | |
| corymbifera | XV | 4 |
| dentata | " | 4 |
| **Oedogonium** | | |
| affine | III | 13 |
| apophysatum | " | 12 |
| Boscii | " | 11 |
| Braunii | " | 12 |
| Candollii | " | 11 |
| capillaceum | " | 13 |
| capillare | " | 13 |

| | Vol. | pag. |
|---|---|---|
| Oedogonium | | |
| capilliforme | III | 12 |
| catenulatum | " | 13 |
| concatenatum | " | 12 |
| delicatulum | " | 10 |
| dubium | " | 13 |
| echinospermum | " | 12 |
| elegans | " | 11 |
| fasciatum | " | 11 |
| fonticola | " | 13 |
| fuscescens | " | 11 |
| giganteum | " | 12 |
| gracile | " | 11 |
| grande | " | 12 |
| heterogonium | " | 11 |
| hexagonum | " | 11 |
| holsaticum | " | 12 |
| intermedium | " | 13 |
| Landsboroughii | " | 12 |
| longatum | " | 11 |
| Meneghinianum | " | 13 |
| minutum | " | 10 |
| nodosum | " | 11 |
| ochroleucum | " | 11 |
| pallidum | " | 13 |
| parvulum | " | 10 |
| pulchellum | " | 12 |
| Rothii | " | 11 |
| scutatum | " | 11 |
| stagnale | " | 13 |
| subsetaceum | " | 13 |
| tenellum | " | 11 |
| tumidulum | " | 12 |
| turfosum | " | 13 |
| vesicatum | " | 11 |
| Oncobyrsa | | |
| Brebissonii | I | 23 |
| Castagnei | " | 9 |
| Oncotylus | | |
| crenulatus | XIX | 23 |
| dilatatus | " | 23 |
| norwegicus | " | 23 |
| Oocardium | | |
| stratum | II | 26 |
| Oscillaria | | |
| aerugineo-coerulea | I | 28 |
| alba | " | 26 |
| americana | " | 28 |
| amphibia | " | 27 |
| anguina | " | 29 |
| animalis | " | 29 |
| antillarum | " | 31 |

| | Vol. | pag. |
|---|---|---|
| Oscillaria | | |
| antliaria | I | 29 |
| brevis | " | 28 |
| chalybea | " | 29 |
| chlorina | " | 28 |
| circinnata | " | 27 |
| coelestis | " | 28 |
| coerulea | " | 30 |
| Cortiana | " | 28 |
| cryptarthra | " | 29 |
| dubia | " | 30 |
| elegans | " | 27 |
| fenestralis | " | 27 |
| formosa | " | 30 |
| Froelichii | " | 31 |
| glaucescens | " | 30 |
| gracillima | " | 27 |
| Grateloupii | " | 31 |
| inflata | " | 31 |
| intermixta | " | 30 |
| iridescens | " | 27 |
| irrigua | " | 30 |
| Juliana | " | 29 |
| leptomitiformis | " | 26 |
| leptotricha | " | 27 |
| limbata | II | 7 |
| limosa | I | 29 |
| major | " | 31 |
| majuscula | " | 31 |
| margaritifera | " | 31 |
| maxima | " | 32 |
| Meneghiniana | " | 26 |
| Mougeotiana | II | 18 |
| Mougeotii | I | 30 |
| natans | " | 29 |
| neapolitana | " | 28 |
| nigra | " | 30 |
| Okeni | " | 28 |
| ornata | " | 30 |
| partita | " | 31 |
| percursa | " | 31 |
| physodes | " | 29 |
| Porettana | " | 29 |
| princeps | " | 32 |
| purpurascens | " | 28 |
| Raineriana | " | 26 |
| repens | " | 29 |
| rubescens | " | 30 |
| sancta | " | 30 |
| smaragdina | " | 35 |
| sordida | " | 29 |
| spissa | " | 27 |
| subfusca | " | 28 |

| | Vol. | pag |
|---|---|---|
| Oscillaria | | |
| subsalsa | I | 30 |
| subtilissima | " | 27 |
| tenerrima | " | 27 |
| tenuis | " | 29 |
| terebriformis | " | 28 |
| tergestina | " | 28 |
| tigrina | " | 26 |
| uncinata | " | 29 |
| versatilis | " | 27 |
| viridis | " | 29 |
| Oscillatoria cf. Oscillaria. | | |
| Ozothallia | | |
| furcáta | X | 8 |
| Mackaji | " | 8 |
| vulgaris | " | 8 |
| Pachychaeta | | |
| griffithsioides | XII | 11 |
| Padina | | |
| lobata | IX | 26 |
| major | " | 32 |
| reptans | " | 31 |
| Schimperi | " | 30 |
| Palmella | | |
| adriatica | I | 11 |
| bituminosa | " | 4 |
| borealis | " | 6 |
| botryoides | " | 10 |
| Botteriana | " | 10 |
| Brebissonii | " | 24 |
| bullosa | " | 11 |
| Castagnei | " | 9 |
| conferta | " | 12 |
| crassa | " | 10 |
| cruenta | " | 12 |
| cyanea | " | 13 |
| cylindrospora | " | 19 |
| didyma | " | 14 |
| duriuscula | " | 13 |
| firma | " | 6 |
| flava | " | 9 |
| granosa | " | 25 |
| hyalina | " | 12 |
| laxa | " | 11 |
| margaritacea | " | 10 |
| mediterranea | " | 11 |
| microspora | " | 10 |
| miniata | " | 10 |
| mucosa | " | 12 |
| muscicola | " | 10 |
| Orsiniana | " | 12 |

| | Vol. | pag. |
|---|---|---|
| Palmella | | |
| pallida | I | 11 |
| papillosa | " | 13 |
| parvula | " | 12 |
| Ralfsii | " | 18 |
| rubescens | " | 19 |
| sordida | " | 13 |
| terminalis | " | 20 |
| uvaeformis | " | 12 |
| Palmodactylon | | |
| varium | VI | 25 |
| Palmodictyon | | |
| viride | I | 22 |
| Palmogloea | | |
| Brebissonii | " | 19 |
| crassa | " | 19 |
| endospira | " | 19 |
| gigantea | " | 20 |
| lurida | " | 20 |
| macrococca | " | 19 |
| Meneghinii | " | 19 |
| micrococca | " | 20 |
| protuberans | " | 19 |
| Roemeriana | " | 20 |
| rubescens | " | 19 |
| rupestris | " | 19 |
| vesiculosa | " | 20 |
| Palmophyllum | | |
| flabellum | " | 23 |
| Peniocystis | | |
| purpurea | " | 25 |
| Percursaria | | |
| fucicola | VI | 12 |
| Periplegmatium | | |
| Ceramii | IV | 18 |
| Petrospongium | | |
| Berkeleyi | VIII | 2 |
| Peyssonelia | | |
| Dubyi | XIX | 32 |
| imbricata | " | 32 |
| involvens | " | 31 |
| major | " | 31 |
| neocaledonica | " | 32 |
| replicata | " | 32 |
| Squamaria | " | 31 |
| umbilicata | " | 32 |
| Phacelocarpus | | |
| oligacanthus | XVIII | 25 |
| tortuosus | " | 25 |

| | Vol. | pag. |
|---|---|---|
| **Phlaeorhiza** | | |
| diaphana | XI | 17 |
| **Phlebothamnion** | | |
| arbuscula | XII | 3 |
| Baileyi | XI | 31 |
| brachiatum | XII | 2 |
| Brodiaei | XI | 32 |
| byssoides | XII | 3 |
| comosum | " | 13 |
| compressum | XIV | 32 |
| corymbiferum | XII | 3 |
| corymbosum | " | 4 |
| divaricatum | XI | 32 |
| ellipticum | XII | 4 |
| Faroense | XIV | 30 |
| fruticulosum | XI | 31 |
| Gallioni | " | 32 |
| Gaudichaudii | XII | 2 |
| Giraudyi | " | 3 |
| grande | " | 5 |
| granulatum | " | 4 |
| granuliferum | " | 4 |
| Grevillii | XI | 31 |
| Griffithsianum | XII | 6 |
| hirtum | " | 2 |
| Hookeri | XI | 30 |
| implicatum | " | 31 |
| lanceolatum | XII | 4 |
| latissimum | " | 3 |
| Montagnei | " | 2 |
| pachycaulon | " | 5 |
| polyspermum | XI | 31 |
| purpuriferum | XII | 3 |
| roseum | XI | 31 |
| scoparium | XII | 3 |
| spinescens | " | 4 |
| spinosum | XI | 31 |
| spongiosum | XII | 5 |
| squarrosum | " | 5 |
| stuposum | " | 2 |
| tetragonum | " | 2 |
| tetricum | XI | 30 |
| tripinnatum | " | 32 |
| velutinum | XII | 5 |
| versicolor | " | 4 |
| **Phormidium** | | |
| allochroum | I | 34 |
| amoenum | " | 32 |
| australe | " | 34 |
| Biasolettianum | " | 34 |
| bicolor | " | 34 |
| Boryanum | " | 32 |
| calcareum | I | 32 |
| Corium | " | 34 |
| crassiusculum | " | 35 |
| fasciculatum | " | 35 |
| firmum | " | 33 |
| flexuosum | " | 32 |
| fonticola | " | 32 |
| interruptum | " | 33 |
| inundatam | " | 32 |
| Joannianum | " | 34 |
| leptodermum | " | 33 |
| limicola | " | 33 |
| lucidum | " | 33 |
| lyngbyaceum | " | 33 |
| membranaceum | " | 33 |
| Meneghinianum | " | 35 |
| obscurum | " | 32 |
| pannosum | " | 34 |
| papyrinum | " | 34 |
| parallelum | " | 34 |
| Retzii | " | 32 |
| rupestre | " | 35 |
| smaragdinum | " | 35 |
| spadiceum | " | 34 |
| subfuscum | " | 33 |
| subtorulosum | " | 35 |
| Thinoderma | " | 34 |
| tinctorium | " | 35 |
| valesiacum | " | 32 |
| vulgare | " | 33 |
| **Phycodrys** | | |
| sinuosa | XVI | 8 |
| **Phycolapathum** | | |
| crispatum | VI | 18 |
| cuneatum | " | 18 |
| debile | " | 17 |
| fissum | " | 18 |
| lanceolatum | " | 17 |
| plantagineum | " | 18 |
| **Phycophila** | | |
| Agardhii | VII | 38 |
| arabica | VIII | 1 |
| breviarticulata | VII | 39 |
| curta | " | 40 |
| ferruginea | " | 39 |
| flaccida | " | 40 |
| fucorum | " | 38 |
| gracilis | " | 39 |
| rigida | " | 39 |
| stellaris | " | 39 |
| stellulata | VIII | 1 |

| | Vol. | pag. |
|---|---|---|
| **Phycophila** | | |
| torulosa | VII | 39 |
| vulpina | " | 39 |
| **Phycopteris** | | |
| angustata | IX | 28 |
| cornea | " | 26 |
| costata | " | 27 |
| cuneata | " | 27 |
| dentata | " | 26 |
| Harveyana | " | 26 |
| interrupta | " | 27 |
| microloba | " | 28 |
| microphylla | " | 28 |
| Sinclairii | " | 27 |
| stuposa | " | 26 |
| Tournefortii | " | 26 |
| **Phycoseris** | | |
| australis | VI | 9 |
| cornucopiae | " | 11 |
| crispata | " | 8 |
| curvata | " | 8 |
| fasciata | " | 10 |
| gigantea | " | 9 |
| lacinulata | " | 9 |
| lanceolata | " | 7 |
| lapathifolia | " | 10 |
| ligula | " | 8 |
| Linza | " | 7 |
| lobata | " | 10 |
| Myriotrema | " | 9 |
| olivacea | " | 8 |
| planifolia | " | 8 |
| plicata | " | 9 |
| ramosa | " | 10 |
| reticulata | " | 10 |
| rigida | " | 9 |
| smaragdina | " | 8 |
| uncialis | " | 7 |
| **Phyllacantha** | | |
| affinis | X | 12 |
| Boryana | " | 11 |
| concatenata | " | 11 |
| fibrosa | " | 13 |
| gracilis | " | 12 |
| granulata | " | 11 |
| melanothrix | " | 13 |
| moniliformis | " | 12 |
| Montagnei | " | 12 |
| Myrica | " | 14 |
| oligacantha | " | 12 |
| pinnata | " | 12 |
| setacea | " | 13 |

| | Vol. | pag. |
|---|---|---|
| **Phyllacantha** | | |
| squarrosissima | X | 11 |
| thesiophylla | " | 13 |
| trichophylla | " | 13 |
| **Phyllactidium** | | |
| arundinaceum | IV | 19 |
| pulchellum | " | 19 |
| setigerum | " | 19 |
| **Phyllerpa** | | |
| flagelliformis | VII | 2 |
| nervata | " | 2 |
| prolifera | " | 2 |
| **Phyllophora** | | |
| crenulata | XIX | 11 |
| denticulata | " | 28 |
| nervosa | " | 28 |
| obtusa | " | 15 |
| rubens | " | 28 |
| **Phyllospora** | | |
| comosa | X | 9 |
| Mentziesii | " | 10 |
| **Phyllotylus** | | |
| membranifolius | XIX | 28 |
| siculus | " | 28 |
| **Physactis** | | |
| aggregata | II | 19 |
| bullata | " | 19 |
| Cerasum | " | 20 |
| chalybea | " | 20 |
| durissima | " | 19 |
| fuscescens | " | 19 |
| gelatinosa | " | 19 |
| lobata | " | 19 |
| mutila | " | 19 |
| pilifera | " | 19 |
| Pisum | " | 19 |
| plicata | " | 19 |
| saccata | " | 19 |
| spiralis | " | 19 |
| spirifera | " | 20 |
| terebralis | " | 20 |
| villosa | " | 19 |
| **Physodictyon** | | |
| graniforme | VI | 16 |
| **Pilinia** | | |
| rimosa | IV | 20 |
| **Platylobium** | | |
| Mertensii | X | 23 |
| **Pleurocarpus** | | |
| mirabilis | V | 4 |

| | Vol. | pag. |
|---|---|---|
| **Pleurocladia** | | |
| lacustris | VII | 37 |
| **Pleurococcus** | | |
| cinnamomeus | I | 5 |
| cohaerens | " | 5 |
| rufescens | " | 9 |
| vulgaris | " | 4 |
| **Plocamium** | | |
| abnorme | XVI | 18 |
| angustatum | " | 17 |
| angustum | " | 17 |
| Binderianum | " | 16 |
| botryoides | " | 18 |
| brachyocarpum | " | 18 |
| cincinnatum | " | 16 |
| coccineum | " | 15 |
| condensatum | " | 17 |
| confervaceum | " | 15 |
| costatum | " | 18 |
| Cuninghamii | " | 19 |
| fenestratum | " | 15 |
| Froelichianum | " | 16 |
| Hookeri | " | 18 |
| latiusculum | " | 17 |
| leptophyllum | " | 16 |
| Lyngbyanum | " | 16 |
| mediterraneum | " | 16 |
| Preissianum | " | 19 |
| procerum | " | 19 |
| robustum | " | 17 |
| secundatum | " | 15 |
| subtile | " | 15 |
| Suhrii | " | 19 |
| Telfairiae | " | 15 |
| uncinatum | " | 16 |
| **Pneophyllum** | | |
| fragile | XIX | 33 |
| **Pollexfenia** | | |
| pedicellata | XVI | 4 |
| **Polycladia** | | |
| Commersonii | XVIII | 24 |
| **Polycoccus** | | |
| punctiformis | I | 8 |
| **Polycystis** | I | 7 |
| **Polyphacum** | | |
| proliferum | XVI | 3 |
| Smithii | " | 4 |
| **Polyphysa** | | |
| aspergillosa | VI | 32 |
| spicata | XVI | 1 |

| | Vol. | pag. |
|---|---|---|
| **Polysiphonia** | | |
| abscissa | XIII | 22 |
| acanthocarpa | XIV | 9 |
| acanthophora | XIII | 24 |
| acanthotricha | XIV | 7 |
| acroblasta | XIII | 31 |
| aculeata | " | 26 |
| aculeifera | " | 23 |
| adunca | " | 13 |
| Agardhiana | " | 16 |
| allochroa | " | 19 |
| amentacea | " | 25 |
| amethystea | " | 31 |
| amoena | XIV | 13 |
| angustissima | " | 17 |
| arachnoidea | XIII | 24 |
| arborescens | XIV | 4 |
| arenaria | XIII | 12 |
| Argus | XIV | 17 |
| arietina | XIII | 21 |
| asperula | XIV | 8 |
| atrogrisea | XIII | 29 |
| atrorubens | " | 26 |
| aurantiaca | " | 23 |
| badia | " | 26 |
| Bangii | XIV | 8 |
| Barbatula | XIII | 11 |
| Bartlingiana | " | 9 |
| Berkeleyi | " | 22 |
| Binderi | XIV | 16 |
| Binneyi | " | 14 |
| Blondi | " | 15 |
| bostrychioides | " | 11 |
| botryocarpa | " | 3 |
| breviarticulata | XIII | 20 |
| Brodiaei | XIV | 1 |
| bullosa | " | 4 |
| byssacea | " | 8 |
| calliptera | XIII | 9 |
| Callitricha | XIV | 1 |
| Calodictyon | " | 16 |
| Calothrix | " | 13 |
| camptoclada | XIII | 10 |
| cancellata | " | 21 |
| caspia | XIV | 6 |
| Castagnei | XIII | 31 |
| ceratoclada | XIV | 6 |
| cervicornis | " | 5 |
| cespitula | " | 15 |
| chalarophlaea | " | 15 |
| chrysoderma | XIII | 22 |
| Cladostephus | XIV | 6 |
| clavigera | " | 5 |

| Polysiphonia | Vol. | pag. |
|---|---|---|
| coarctata | XIII | 12 |
| codiicola | XIV | 19 |
| comatula | " | 10 |
| commutata | " | 3 |
| complanata | XIII | 19 |
| condensata | " | 14 |
| coralloides | XIV | 18 |
| corymbifera | XIII | 16 |
| curta | " | 16 |
| cymosa | XIV | 10 |
| dalmatica | " | 26 |
| dasyaeformis | " | 8 |
| decipiens | XIII | 21 |
| dendritica | " | 10 |
| dendroidea | " | 9 |
| denticulata | " | 28 |
| denudata | " | 28 |
| Derbesii | XIV | 2 |
| deusta | XIII | 24 |
| dichocephala | " | 17 |
| dichotoma | " | 24 |
| dictyura | XIV | 11 |
| dilatata | XIII | 24 |
| Dillwynii | XIV | 8 |
| divaricata | XIII | 26 |
| divergens | " | 27 |
| dumosa | XIV | 10 |
| dysanophora | XIII | 29 |
| elongata | XIV | 2 |
| elongella | " | 3 |
| erythrocoma | XIII | 14 |
| exigua | " | 29 |
| exilis | " | 29 |
| expansa | XIV | 18 |
| falcata | XIII | 12 |
| fasciculata | " | 15 |
| fasciculifera | " | 19 |
| fastigata | " | 14 |
| fibrata | " | 31 |
| filipendula | XIV | 13 |
| flabelliformis | XIII | 17 |
| flexella | XIV | 7 |
| foeniculacea | " | 5 |
| forcipata | XIII | 26 |
| " | XIV | 15 |
| formosa | XIII | 22 |
| fracta | XIV | 15 |
| frutex | XIII | 21 |
| fruticulosa | XIV | 9 |
| funebris | " | 11 |
| farcellata | XIII | 25 |
| fuscescens | " | 21 |

| Polysiphonia | Vol. | pag. |
|---|---|---|
| Gaudichaudii | XIII | 19 |
| glomerulata | XIV | 3 |
| grisea | XIII | 23 |
| Gunniana | XIV | 29 |
| haematites | " | 3 |
| hamulifera | XIII | 11 |
| Harveyi | XIV | 9 |
| havannensis | XIII | 23 |
| hispida | XIV | 19 |
| Hookeri | " | 6 |
| humilis | " | 10 |
| Hystrix | " | 6 |
| Jacobi | XIII | 28 |
| implexa | XIV | 12 |
| impolita | " | 19 |
| infestans | " | 14 |
| inversa | XIII | 27 |
| irregularis | XIV | 18 |
| juncea | XIII | 17 |
| laevigata | " | 27 |
| lasiorhiza | " | 14 |
| lasiotricha | " | 23 |
| Lawrenciana | XIV | 6 |
| " | " | 25 |
| laxa | " | 2 |
| laxiuscula | XIII | 15 |
| lepadicola | " | 13 |
| leptoclada | XIV | 7 |
| leptura | XIII | 28 |
| linocladia | " | 18 |
| lithophila | " | 23 |
| lophoclados | XIV | 7 |
| lophura | XIII | 17 |
| lophuroides | " | 28 |
| lusitanica | " | 24 |
| Lyalii | XIV | 10 |
| macrocephala | " | 19 |
| macroclonia | " | 5 |
| Mallardiae | " | 8 |
| Marrowii | " | 17 |
| Martensiana | " | 10 |
| microdendron | XIII | 18 |
| miniata | " | 25 |
| mollis | " | 27 |
| monocarpa | " | 13 |
| Montagnei | " | 30 |
| Moritziana | XIV | 11 |
| mucronata | " | 25 |
| multicapsularis | " | 20 |
| mutabilis | " | 20 |
| myriococca | XIII | 30 |
| myriotricha | " | 31 |

| Polysiphonia | Vol. | pag. |
|---|---|---|
| nana | XIII | 10 |
| nebulosa | XIV | 18 |
| neglecta | " | 13 |
| nigrescens | XIII | 18 |
| nigrita | " | 21 |
| nodifera | " | 27 |
| nodulosa | " | 27 |
| nutans | " | 18 |
| obscura | " | 13 |
| Olneyi | XIV | 14 |
| opaca | XIII | 15 |
| ophiocarpa | " | 15 |
| paniculata | " | 15 |
| pantophlaea | XIV | 5 |
| Papeana | XIII | 17 |
| parasitica | " | 9 |
| parvula | XIV | 18 |
| patens | XIII | 29 |
| Patersonis | XIV | 6 |
| patula | " | 2 |
| pauperula | XIII | 20 |
| pecten veneris | XIV | 29 |
| pectinata | " | 13 |
| penicillata | " | 1 |
| pennata | XIII | 9 |
| Perreymondi | " | 30 |
| phleborhiza | " | 14 |
| physarthra | " | 20 |
| pilosa | XIV | 7 |
| pinnulata | XIII | 8 |
| platyspira | " | 20 |
| polycarpa | XIV | 1 |
| polychotoma | " | 1 |
| polyphora | " | 11 |
| polyphysa | XIII | 20 |
| polyrhiza | " | 13 |
| prorepens | XIV | 12 |
| pulvinata | XIII | 12 |
| punicea | " | 22 |
| purpurea | " | 25 |
| pycnocoma | " | 30 |
| pycnophlaea | XIV | 10 |
| pygmaea | XIII | 10 |
| ramellosa | XIV | 9 |
| ramulosa | XIII | 15 |
| regularis | " | 16 |
| repens | " | 13 |
| reptabunda | " | 12 |
| Requienii | XIV | 2 |
| rhodomeloides | " | 3 |
| Richardsoni | XIII | 26 |
| rigens | " | 21 |

| Polysiphonia | Vol. | pag. |
|---|---|---|
| rigidula | XIII | 13 |
| robusta | XIV | 4 |
| Roeana | " | 20 |
| roseola | XIII | 25 |
| rostrata | " | 14 |
| Ruchingeri | XIV | 2 |
| rudis | XIII | 29 |
| rufolanosa | XIV | 20 |
| rugulosa | XIII | 30 |
| rutilans | " | 12 |
| sanguinea | " | 30 |
| scoparia | " | 16 |
| scopulorum | XIV | 12 |
| secunda | XIII | 10 |
| secundata | " | 17 |
| sentosa | " | 16 |
| setigera | " | 11 |
| Solieri | XIV | 31 |
| spiculifera | " | 17 |
| spinella | XIII | 12 |
| spinescens | XIV | 12 |
| spinifera | XIII | 9 |
| spinosa | XIV | 7 |
| spinosissima | " | 16 |
| spinulosa | " | 5 |
| squarrosa | XIII | 27 |
| stenocarpa | XIV | 4 |
| stictophlaea | XIII | 19 |
| stricta | " | 25 |
| strictoides | XIV | 4 |
| stuposa | " | 18 |
| subadunca | XIII | 11 |
| subcontinua | " | 18 |
| subtilis | " | 28 |
| subtilissima | " | 10 |
| subulata | " | 18 |
| subulifera | XIV | 9 |
| tenella | XIII | 11 |
| tenerrima | " | 10 |
| tenuistriata | " | 16 |
| thuyoides | XIV | 11 |
| Thwaitesii | " | 16 |
| thyrsigera | " | 11 |
| Tongatensis | " | 11 |
| trichoclada | XIII | 24 |
| trichodes | XIV | 4 |
| tripinnata | XIII | 16 |
| umbellifera | " | 15 |
| uncinata | " | 11 |
| urceolata | " | 29 |
| vaga | XIV | 8 |
| vagabunda | " | 12 |

| | Vol. | pag. |
|---|---|---|
| **Polysiphonia** | | |
| variabilis | XIV | 15 |
| variegata | XIII | 26 |
| versicolor | " | 11 |
| vestita | XIV | 3 |
| Victoriae | " | 20 |
| Vidovichii | XIII | 22 |
| vinosa | " | 23 |
| violacea | " | 30 |
| violascens | " | 17 |
| virens | " | 14 |
| virgata | " | 19 |
| Wulfeni | XIV | 9 |
| **Polyzonia** | | |
| australis | XV | 3 |
| cuneifolia | " | 3 |
| elegans | " | 2 |
| incisa | " | 3 |
| **Poropsis** | | |
| subunalis | VI | 29 |
| **Porphyra** | | |
| amethystea | XIX | 30 |
| Augustinae | " | 31 |
| bangiaeformis | " | 29 |
| Boryana | " | 29 |
| capensis | " | 31 |
| columbina | " | 29 |
| cordata | " | 29 |
| coriacea | " | 30 |
| Kunthiana | " | 30 |
| laciniata | " | 30 |
| linearis | " | 29 |
| miniata | " | 30 |
| vermicellifera | " | 29 |
| vulgaris | " | 30 |
| **Porphyroglossum** | | |
| Zollingeri | " | 16 |
| **Porphyrosiphon** | | |
| Notarisii | II | 7 |
| **Prasiola** | | |
| antarctica | V | 13 |
| calophylla | " | 13 |
| crispa | " | 14 |
| Falklandica | " | 13 |
| Flotowii | " | 13 |
| furfuracea | " | 13 |
| leprosa | " | 13 |
| mexicana | " | 13 |
| orbicularis | " | 13 |
| pulveracea | " | 13 |
| Rothii | " | 13 |

| | Vol. | pag. |
|---|---|---|
| **Prasiola** | | |
| Sauteri | V | 13 |
| tessellata | " | 14 |
| **Protococcus** | | |
| atrovirens | I | 4 |
| aurantiofuscus | " | 3 |
| aureoviridis | " | 3 |
| aureus | " | 3 |
| bituminosus | " | 4 |
| botryoides | " | 2 |
| brunneus | " | 3 |
| carneus | " | 1 |
| chlamidomonas | " | 4 |
| chnaumaticus | " | 3 |
| cinnamomeus | " | 5 |
| Clementii | " | 3 |
| Coccoma | " | 3 |
| coeruleus | " | 4 |
| cohaerens | " | 5 |
| communis | " | 4 |
| crassus | " | 4 |
| crustaceus | " | 2 |
| dimidiatus | " | 5 |
| dissectus | " | 4 |
| Felisii | " | 4 |
| fuligineus | " | 3 |
| fusco-ater | " | 3 |
| gigas | " | 5 |
| glomeratus | " | 3 |
| haematodes | " | 5 |
| infusionum | " | 3 |
| Julianus | " | 5 |
| leprarius | " | 4 |
| leprosus | " | 3 |
| macrococcus | " | 3 |
| Magma | " | 17 |
| marinus | " | 2 |
| membraninus | " | 5 |
| Meneghinii | " | 4 |
| minor | " | 3 |
| minutus | " | 5 |
| Monas | " | 4 |
| mucosus | " | 3 |
| nivalis | " | 1 |
| Orsinii | " | 2 |
| palustris | " | 4 |
| persicinus | " | 1 |
| pleurococcus | " | 4 |
| pluvialis | " | 2 |
| pulcher | " | 4 |
| roseo-persicinus | " | 1 |
| roseus | " | 1 |
| rufescens | " | 9 |

| | Vol. | pag. |
|---|---|---|
| **Protococcus** | | |
| sabulosus | I | 3 |
| tectorum | " | 4 |
| thermalis | " | 5 |
| turgidus | " | 5 |
| umbrinus | " | 1 |
| viridis | " | 3 |
| **Protoderma** | | |
| viride | VI | 6 |
| **Psichohormium** | | |
| antliarium | III | 16 |
| approximatum | " | 16 |
| cinereum | " | 16 |
| contiguum | " | 16 |
| distans | " | 16 |
| fuscescens | " | 16 |
| globuliferum | " | 16 |
| gracile | " | 16 |
| inaequale | " | 16 |
| majus | " | 16 |
| patavinum | " | 16 |
| salinum | " | 16 |
| verrucosum | " | 16 |
| **Pterocaulon** | | |
| decurrens | X | 24 |
| Peronii | " | 23 |
| **Pteroceras** | | |
| cancellatum | XIII | 8 |
| flexuosum | " | 8 |
| **Ptilocladia** | | |
| pulchra | XII | 20 |
| **Ptilophora** | | |
| spissa | XIX | 17 |
| **Ptilota** | | |
| articulata | XII | 17 |
| elegans | " | 17 |
| formosa | " | 17 |
| formosissima | " | 18 |
| pectinata | " | 17 |
| plumosa | " | 17 |
| serrata | " | 17 |
| **Punctaria** | | |
| angustifolia | VI | 16 |
| debilis | " | 17 |
| latifolia | " | 16 |
| tenuissima | " | 16 |
| **Pycnophycus** | | |
| brassicaeformis | X | 9 |
| laevigatus | " | 9 |
| sisymbrioides | " | 9 |
| tuberculatus | " | 9 |

| | Vol. | pag. |
|---|---|---|
| **Ralfsia** | | |
| deusta | IX | 32 |
| major | " | 32 |
| verrucosa | " | 31 |
| **Rhabdonia** | | |
| Baileyi | XVI | 26 |
| coccinea | " | 26 |
| nigrescens | " | 26 |
| **Rhipilia** | | |
| longicaulis | VIII | 13 |
| tomentosa | " | 12 |
| **Rhipocephalus** | | |
| Phoenix | " | 12 |
| **Rhizoclonium** | | |
| affine | III | 22 |
| africanum | " | 21 |
| albicans | " | 23 |
| anglicum | " | 21 |
| Antillarum | " | 21 |
| aponinum | " | 22 |
| arenosum | " | 22 |
| Areschougii | " | 22 |
| biforme | " | 21 |
| calidum | " | 22 |
| crispum | " | 22 |
| cubense | " | 22 |
| fluitans | " | 22 |
| fontanum | " | 23 |
| hieroglyphicum | " | 22 |
| Hookeri | " | 21 |
| implexum | " | 23 |
| interruptum | " | 21 |
| Julianum | " | 22 |
| Jurgensii | " | 22 |
| Kochianum | " | 23 |
| lacustre | " | 22 |
| litoreum | " | 23 |
| obtusangulum | " | 22 |
| occidentale | " | 22 |
| pannosum | " | 22 |
| ragusanum | " | 23 |
| rivulare | " | 21 |
| " | " | 23 |
| salinum | " | 21 |
| setaceum | " | 21 |
| tenue | " | 23 |
| tortuosum | " | 21 |
| velutinum | " | 22 |
| **Rhizophyllis** | | |
| squamariae | XVI | 4 |

| | Vol. | pag. |
|---|---|---|
| Rhodocallis | | |
| asplenioides | XII | 18 |
| elegans | " | 17 |
| setigera | " | 18 |
| Rhodocladia | | |
| Lamberti | XIX | 12 |
| Rhodomela | | |
| elata | XV | 15 |
| episcopalis | " | 15 |
| multicornis | " | 15 |
| patula | " | 14 |
| Rhodomenia | | |
| Montagneana | XIX | 29 |
| obtusata | " | 12 |
| Rhodophyllis | | |
| angustifrons | XIX | 20 |
| bifida | " | 18 |
| blepharicarpa | " | 19 |
| capensis | " | 19 |
| membranacea | " | 20 |
| Montagneana | " | 29 |
| multipartita | " | 19 |
| spathulifera | " | 19 |
| Veprecula | " | 20 |
| Rhodosaccion | | |
| fastigatum | XVI | 26 |
| Rhodymenia | | |
| obtusata | XIX | 12 |
| Rhynchococcus | | |
| coriaceus | XIX | 11 |
| coronopifolius | XVIII | 4 |
| Rhynchonema | | |
| affine | V | 10 |
| angulare | " | 11 |
| diductum | " | 10 |
| Hartigii | " | 10 |
| Hassallii | " | 10 |
| Jenneri | " | 10 |
| intermedium | " | 10 |
| malleolum | " | 10 |
| minimum | " | 10 |
| quadratum | " | 10 |
| rostratum | " | 11 |
| vesicatum | " | 10 |
| Woodsii | " | 11 |
| Rivularia | | |
| angulosa | II | 22 |
| Boryana | " | 22 |
| Brauniana | " | 22 |
| Brebissoniana | " | 22 |
| durissima | " | 22 |
| gigantea | II | 22 |
| Hedwigiana | " | 22 |
| Lens | " | 23 |
| Lenticula | " | 22 |
| Lyngbyana | " | 22 |
| minor | " | 22 |
| minuta | " | 22 |
| parvula | " | 22 |
| plana | " | 23 |
| pygmaea | " | 22 |
| rigida | " | 22 |
| salina | " | 22 |
| Sprengeliana | " | 22 |
| Rytiphlaea | | |
| australis | XV | 7 |
| capensis | " | 6 |
| cloiophylla | " | 7 |
| complanata | " | 5 |
| corymbosa | " | 5 |
| Duperreyi | " | 5 |
| firma | " | 6 |
| obtusifolia | " | 7 |
| rigidula | " | 6 |
| seminuda | " | 6 |
| tinctoria | " | 6 |
| truncata | " | 5 |
| Sarcodia | | |
| ceylanica | XIX | 12 |
| Sarcophycus | | |
| potatorum | X | 3 |
| simplex | " | 4 |
| Sarcophyllis | | |
| lobata | XVII | 29 |
| Sarcothalia | | |
| Burmanni | " | 19 |
| Novae Hollandiae | " | 19 |
| Sargassum | | |
| acinaciforme | XI | 9 |
| Acinaria | " | 6 |
| affine | " | 9 |
| angustifolium | " | 6 |
| asperifolium | " | 4 |
| australe | " | 11 |
| bacciferum | " | 4 |
| Bahiense | " | 2 |
| Boryanum | " | 7 |
| brevifolium | " | 2 |
| brevipes | " | 3 |
| capillare | " | 5 |

| | Vol. | pag. |
|---|---|---|
| Sargassum | | |
| Chamissonis | XI | 4 |
| cheirifolium | " | 7 |
| coarctatum | " | 7 |
| comosum | " | 11 |
| crispum | " | 2 |
| cymosum | " | 8 |
| cystocarpum | " | 8 |
| Desfontainesii | " | 11 |
| Desvauxii | " | 8 |
| dichocarpum | " | 7 |
| diversifolium | " | 10 |
| Donati | " | 7 |
| enerve | " | 4 |
| fallax | X | 31 |
| fissifolium | XI | 10 |
| flaccidum | " | 29 |
| flavifolium | " | 8 |
| flexuosum | " | 11 |
| fuliginosum | " | 6 |
| furcatum | " | 10 |
| graminifolium | " | 9 |
| granuliferum | " | 5 |
| hemiphylloides | " | 3 |
| herbaceum | " | 1 |
| heterocystum | " | 13 |
| integrifolium | " | 5 |
| lendigerum | " | 6 |
| leptocarpum | " | 2 |
| linearifolium | " | 6 |
| linifolium | " | 8 |
| megalophyllum | " | 8 |
| microcystum | " | 2 |
| Montagnei | " | 9 |
| obtusatum | " | 7 |
| onustum | " | 5 |
| persicum | " | 5 |
| piluliferum | " | 11 |
| pinnatifolium | " | 10 |
| podacanthum | " | 3 |
| polyphyllum | " | 3 |
| Pteropus | " | 2 |
| pygmaeum | " | 5 |
| ramifolium | " | 10 |
| rigidulum | " | 9 |
| Swartzii | " | 6 |
| subrepandum | " | 1 |
| telephifolium | " | 2 |
| tenue | " | 3 |
| trachyphyllum | " | 3 |
| varians | " | 11 |
| Vaysierianum | " | 10 |
| verruculosum | " | 11 |
| virgatum | XI | 5 |
| Schimmelmannia | | |
| ornata | XVI | 30 |
| Schizochlamys | | |
| gelatinosa | VI | 25 |
| Schizodictyon | | |
| purpurascens | II | 12 |
| Schizoglossum | | |
| Bartlingianum | XVI | 12 |
| Delilei | " | 12 |
| Gmelini | " | 12 |
| Schizogonium | | |
| Boryanum | II | 31 |
| calophyllum | " | 32 |
| contortum | " | 32 |
| copulatum | " | 32 |
| crispatum | " | 32 |
| laete virens | " | 32 |
| murale | " | 31 |
| Neesii | " | 31 |
| nodosum | " | 32 |
| pallidum | " | 32 |
| percursum | " | 32 |
| thermale | " | 28 |
| " | " | 31 |
| tortum | " | 31 |
| virescens | " | 32 |
| Schizomeris | | |
| Leibleinii | III | 9 |
| Schizosiphon | | |
| affinis | II | 14 |
| apiculatus | " | 14 |
| aponinus | " | 15 |
| arenarius | " | 18 |
| cataractae | " | 17 |
| Chaetopus | " | 14 |
| cinctus | " | 17 |
| consociatus | " | 17 |
| crassus | " | 15 |
| " | " | 24 |
| crustiformis | " | 14 |
| cuspidatus | " | 14 |
| decoloratus | " | 14 |
| dilatatus | " | 17 |
| fasciculatus | " | 17 |
| flagelliformis | " | 17 |
| fucicola | " | 18 |
| gregarius | " | 15 |
| gypsophilus | " | 17 |
| Julianus | " | 15 |

| | Vol. | pag. |
|---|---|---|
| **Schizosiphon** | | |
| Kuetzingianus | II | 15 |
| lasiopus | " | 15 |
| Lenormandi | " | 17 |
| lutescens | " | 14 |
| major | " | 15 |
| Medusae | " | 14 |
| Meneghinianus | " | 17 |
| Mougeotianus | " | 18 |
| parietinus | " | 14 |
| radians | " | 18 |
| radiatus | " | 17 |
| rufescens | " | 14 |
| rupicola | " | 14 |
| sabulicola | " | 14 |
| salinus | " | 14 |
| scopulorum | " | 15 |
| " | " | 17 |
| subsimplex | " | 17 |
| villosus | " | 15 |
| **Schizothrix** | | |
| aurantiaca | " | 11 |
| Creswellii | " | 12 |
| fuscescens | " | 11 |
| hyalina | " | 11 |
| lacustris | " | 11 |
| Muelleri | " | 11 |
| Smithii | " | 12 |
| **Sciadium** | | |
| Arbuscula | VI | 24 |
| **Sclerothrix** | | |
| Callitrichae | II | 11 |
| **Scytonema** | | |
| aerugineo-cinereum | " | 5 |
| allochroum | " | 5 |
| ambiguum | " | 7 |
| arenarium | " | 18 |
| aureum | " | 6 |
| calotrichoides | " | 6 |
| castaneum | " | 6 |
| chloroides | " | 5 |
| chlorophaeum | " | 7 |
| chrysochlorum | " | 6 |
| cinereum | " | 5 |
| clavatum | " | 6 |
| coactile | " | 6 |
| coalitum | " | 7 |
| collinum | " | 6 |
| crassum | " | 7 |
| decumbens | " | 6 |
| dimorphum | " | 7 |
| elegans | " | 5 |

| | Vol. | pag. |
|---|---|---|
| **Scytonema** | | |
| fasciculatum | II | 6 |
| flagelliferum | " | 7 |
| flexuosum | " | 6 |
| gracile | " | 6 |
| gracillimum | " | 6 |
| Heerianum | " | 7 |
| helveticum | " | 7 |
| incrustans | " | 6 |
| Kuetzingianum | " | 5 |
| Leprieurii | " | 6 |
| lignicola | " | 7 |
| limbatum | " | 7 |
| melanopleurum | " | 5 |
| Meneghinianum | " | 5 |
| myochrous | " | 7 |
| najdeum | " | 6 |
| natans | " | 6 |
| nigrescens | " | 5 |
| Notarisii | " | 7 |
| pachysiphon | " | 7 |
| Panici | " | 5 |
| tenue | " | 5 |
| tenuissimum | " | 7 |
| thelephoroides | " | 13 |
| thermale | " | 5 |
| tolypothrichoides | " | 6 |
| tomentosum | " | 5 |
| turfosum | " | 6 |
| turicense | " | 6 |
| varium | " | 6 |
| **Scytothalia** | | |
| axillaris | X | 10 |
| dorycarpa | " | 10 |
| Jacquinotii | XI | 17 |
| rhynchocarpa | X | 10 |
| xiphocarpa | " | 10 |
| **Scytothamnus** | | |
| australis | VIII | 6 |
| **Seirospora** | | |
| flaccida | XII | 6 |
| Griffithsiana | " | 6 |
| humilis | " | 6 |
| **Siphoderma** | | |
| compactum | I | 45 |
| curvatum | " | 45 |
| lyngbyaceum | " | 44 |
| tenue | " | 45 |
| **Sirocoleum** | | |
| guianense | " | 37 |

| | Vol. | pag. |
|---|---|---|
| **Sirogonium** | | |
| Braunii | V | 2 |
| breviarticulatum | " | 2 |
| sticticum | " | 2 |
| **Sirophysalis** | | |
| binodis | X | 22 |
| confluens | " | 21 |
| crassipes | " | 21 |
| Douglasii | " | 21 |
| enodis | " | 22 |
| expansa | " | 21 |
| Kakiloides | " | 21 |
| muricata | " | 20 |
| nodularia | " | 2 |
| trinodis | " | 21 |
| **Sirosiphon** | | |
| alpinus | II | 10 |
| Braunii | " | 10 |
| brevis | " | 10 |
| compactus | " | 10 |
| coralloides | " | 10 |
| corniculatus | " | 10 |
| Heuffleri | " | 10 |
| hormoides | " | 10 |
| intermedius | " | 10 |
| ocellatus | " | 11 |
| panniformis | " | 10 |
| pulvinatus | " | 10 |
| rugulosus | " | 11 |
| saxicola | " | 10 |
| secundatus | " | 11 |
| tomentosus | " | 10 |
| velutinus | " | 10 |
| **Solieria** | | |
| australis | XIX | 10 |
| chordalis | XVII | 29 |
| **Spatoglossum** | | |
| australasicum | IX | 20 |
| Diesingianum | " | 31 |
| flabelliforme | " | 19 |
| guineense | " | 19 |
| lubricum | " | 20 |
| multipartitum | " | 21 |
| nigrescens | " | 20 |
| Schroederi | " | 21 |
| Solierii | " | 19 |
| Spanueri | " | 19 |
| variegatum | " | 30 |
| velutinum | " | 21 |
| versicolor | " | 20 |
| **Spermatochnus** | | |
| adriaticus | VIII | 9 |
| australis | VIII | 10 |
| claviceps | " | 9 |
| gracillimus | " | 9 |
| hirsutus | " | 9 |
| hydruroides | " | 9 |
| mediterraneus | " | 8 |
| membranaceus | " | 10 |
| microspermus | " | 10 |
| papillosus | " | 10 |
| paradoxus | " | 8 |
| ramellosus | " | 9 |
| rhizodes | " | 8 |
| setaceus | " | 9 |
| **Spermosira** | | |
| Brauniana | I | 54 |
| litorea | " | 54 |
| major | " | 54 |
| Vrieseana | " | 54 |
| **Sphacelaria** | | |
| brachygona | V | 26 |
| capensis | " | 26 |
| cervicornis | " | 27 |
| cirrosa | " | 26 |
| firmula | " | 26 |
| fulva | " | 27 |
| furcigera | " | 27 |
| fusca | " | 27 |
| irregularis | " | 27 |
| mexicana | " | 26 |
| Muelleri | " | 29 |
| nana | " | 26 |
| olivacea | " | 28 |
| pennata | " | 27 |
| plumosa | VI | 3 |
| pusilla | V | 26 |
| radicans | " | 26 |
| rhizophora | " | 26 |
| rigida | " | 26 |
| rigidula | " | 25 |
| rutilans | " | 26 |
| scoparioides | " | 27 |
| spinulosa | " | 27 |
| squamulosa | VI | 3 |
| tenuis | V | 28 |
| tribuloides | " | 26 |
| **Sphaerocarpus** | | |
| nummuloides | " | 2 |
| scalaris | " | 2 |
| **Sphaerococcus** | | |
| acanthophorus | XVIII | 30 |
| angustifolius | " | 34 |

| | Vol. | pag. |
|---|---|---|
| **Sphaerococcus** | | |
| armatus | XVIII | 27 |
| australis | XIX | 12 |
| Bangii | XVIII | 29 |
| canaliculatus | " | 29 |
| capensis | " | 34 |
| capillaris | " | 26 |
| cervicornis | " | 7 |
| " | " | 28 |
| chondroides | " | 29 |
| compressus | " | 27 |
| confervoides | " | 25 |
| corallinus | " | 31 |
| corallopsis | " | 29 |
| coriaceus | " | 33 |
| " | XIX | 12 |
| caulescens | XVIII | 32 |
| dactyloides | XIX | 8 |
| denticulatus | " | 19 |
| difficilis | XVIII | 28 |
| divergens | " | 26 |
| Domingensis | XIX | 8 |
| dumosus | " | 8 |
| durus | XVIII | 27 |
| Ellisiae | " | 34 |
| erectus | " | 5 |
| falcatus | " | 2 |
| filiformis | " | 35 |
| flabellifolius | " | 32 |
| flaccidus | " | 25 |
| furcigerus | " | 30 |
| Gelidium | XIX | 8 |
| Harveyi | XVIII | 10 |
| Heringii | " | 3 |
| implexus | IX | 36 |
| interruptus | XIX | 7 |
| isiformis | XVIII | 3 |
| lacinulatus | " | 30 |
| Lemania | " | 26 |
| lichenoides | " | 28 |
| ligulatus | " | 33 |
| linearis | " | 32 |
| mexicanus | " | 29 |
| multipartitus | " | 31 |
| nanus | " | 29 |
| nicaeensis | " | 33 |
| obtusus | XIX | 8 |
| oligacanthus | XVIII | 30 |
| palmatus | " | 31 |
| Palmetta | " | 34 |
| pilulifer | " | 28 |
| pinnatus | " | 35 |
| platyphyllus | " | 32 |

| | Vol. | pag. |
|---|---|---|
| **Sphaerococcus** | | |
| polycarpus | XVIII | 31 |
| ramulosus | " | 7 |
| " | " | 25 |
| rangiferinus | " | 30 |
| Sarniensis | " | 31 |
| setaceus | " | 26 |
| soboliferus | " | 31 |
| Sonderi | " | 27 |
| spinescens | " | 27 |
| spinosus | " | 3 |
| spinulosus | " | 30 |
| subulatus | XIX | 10 |
| tenuifolius | XVIII | 32 |
| tenuis | " | 27 |
| thamnophorus | " | 26 |
| tuberculosus | " | 27 |
| tunaeformis | " | 32 |
| vagus | " | 27 |
| vermicularis | " | 28 |
| Vieillardi | " | 26 |
| volans | XVII | 14 |
| **Sphaeroplaea** | | |
| armeniaca | III | 10 |
| Braunii | " | 9 |
| Leibleinii | " | 9 |
| Soleirolii | " | 9 |
| Trevirani | " | 9 |
| **Sphaerozyga** | | |
| allantospora | I | 51 |
| catenula | " | 52 |
| compacta | " | 52 |
| cyanea | " | 51 |
| depressa | " | 52 |
| flexuosa | " | 52 |
| Flotowiana | " | 51 |
| inaequalis | " | 52 |
| insignis | " | 52 |
| membranina | " | 52 |
| microscopica | " | 51 |
| oscillarioides | " | 52 |
| recta | " | 52 |
| romana | " | 51 |
| sabulosa | " | 51 |
| variabilis | " | 52 |
| velutina | " | 51 |
| **Spinularia** | | |
| latifrons | IX | 40 |
| **Spirillum** | | |
| Jenneri | I | 26 |
| **Spirogyra** | | |
| adnata | V | 8 |


55000

| | Vol. | pag. |
|---|---|---|
| Spirogyra | | |
| alpina | V | 7 |
| arcta | " | 7 |
| bifaria | " | 10 |
| Braunii | " | 10 |
| brevis | " | 9 |
| cateniformis | " | 6 |
| communis | " | 6 |
| condensata | " | 7 |
| crassa | " | 9 |
| decimina | " | 7 |
| " | " | 8 |
| densa | " | 8 |
| dubia | " | 8 |
| elongata | " | 7 |
| flavescens | " | 6 |
| flavicans | " | 7 |
| gastroides | " | 9 |
| gracilis | " | 6 |
| Grevilleana | " | 10 |
| Heeriana | " | 9 |
| Hornschuchii | " | 10 |
| inaequalis | " | 10 |
| inflata | " | 7 |
| insignis | " | 10 |
| irregularis | " | 7 |
| jugalis | " | 9 |
| Jürgensii | " | 6 |
| laxa | " | 10 |
| longata | " | 6 |
| longiarticulata | " | 8 |
| major | " | 8 |
| majuscula | " | 8 |
| mirabilis | " | 6 |
| Naegelii | " | 9 |
| nitida | " | 9 |
| nodosa | " | 7 |
| orbicularis | " | 9 |
| orthospira | " | 8 |
| parva | " | 6 |
| quinina | " | 7 |
| rivularis | " | 8 |
| setiformis | " | 9 |
| subaequa | " | 9 |
| subsalsa | " | 6 |
| subtilis | " | 6 |
| tenuissima | " | 9 |
| Theobaldi | " | 10 |
| torulosa | " | 7 |
| tropica | " | 8 |
| turpis | " | 6 |
| ulotrichoides | " | 7 |
| undulata | " | 8 |

| | Vol. | pag. |
|---|---|---|
| Spirogyra | | |
| ventricosa | V | 7 |
| Weberi | " | 9 |
| Spirulina | | |
| brevis | I | 26 |
| Hutchinsiae | " | 25 |
| Jenneri | " | 26 |
| major | " | 26 |
| oscillarioides | " | 26 |
| solitaris | " | 26 |
| subsalsa | " | 26 |
| subtilissima | " | 26 |
| tenerrima | " | 25 |
| tenuissima | " | 26 |
| thermalis | " | 26 |
| Zanardini | " | 26 |
| Splachnidium | | |
| rugosum | X | 4 |
| Spongites | | |
| byssoides | XIX | 35 |
| confluens | " | 34 |
| crassa | " | 35 |
| crustacea | " | 34 |
| fruticulosa | " | 35 |
| nodosa | " | 35 |
| ramulosa | " | 35 |
| stalatitica | " | 35 |
| Spongocarpus | | |
| enervis | X | 31 |
| fulvellus | " | 31 |
| hemiphyllus | I | 32 |
| Horneri | X | 31 |
| siliculosus | " | 32 |
| sisymbrioides | " | 32 |
| Spongomorpha | | |
| aegiceras | IV | 16 |
| arcta | " | 16 |
| arctiuscula | " | 16 |
| Binderi | " | 16 |
| centralis | " | 17 |
| congregata | " | 17 |
| cymosa | " | 16 |
| Hookeriana | " | 16 |
| lanosa | " | 18 |
| Muelleri | V | 29 |
| multifida | IV | 18 |
| oxyclada | " | 17 |
| pacifica | " | 17 |
| radians | " | 16 |
| ramosa | " | 17 |
| rhizophora | " | 16 |

| | Vol. | pag. |
|---|---|---|
| **Spongomorpha** | | |
| senescens | IV | 18 |
| Sonderi | " | 17 |
| spinescens | " | 16 |
| Trinitatis | " | 17 |
| uncialis | " | 17 |
| villosa | " | 17 |
| **Spongonema** | | |
| castaneum | V | 25 |
| ferrugineum | " | 25 |
| tomentosum | " | 25 |
| **Spongopsis** | | |
| mediterranea | III | 17 |
| saccata | " | 17 |
| **Sporacanthus** | | |
| cristatus | V | 24 |
| **Sporochnus** | | |
| Bolleanus | IX | 33 |
| comosus | " | 33 |
| cryptocephalus | " | 35 |
| dalmaticus | " | 34 |
| Gaertnera | " | 33 |
| longipes | " | 35 |
| Moorei | " | 35 |
| obovatus | " | 34 |
| pedunculatus | " | 34 |
| radiciformis | " | 33 |
| scoparius | " | 35 |
| sphaerocephalus | " | 34 |
| **Spyridia** | | |
| aculeata | XII | 16 |
| apiculata | " | 15 |
| arcuata | " | 15 |
| armata | " | 16 |
| Berkeleyana | " | 16 |
| clavata | " | 14 |
| crassa | " | 14 |
| crassiuscula | " | 14 |
| cupressina | " | 16 |
| cuspidata | " | 15 |
| divaricata | " | 15 |
| ericoides | " | 16 |
| filamentosa | " | 14 |
| fruticulosa | " | 15 |
| hirsuta | " | 15 |
| Montagneana | " | 14 |
| nudiuscula | " | 14 |
| occidentalis | " | 14 |
| setacea | " | 14 |
| spinella | " | 16 |
| tasmannica | " | 14 |
| tetracantha | " | 16 |

| | Vol. | pag. |
|---|---|---|
| **Spyridia** | | |
| villosa | XII | 15 |
| **Staurospermum** | | |
| atroviolaceum | V | 3 |
| coerulescens | " | 3 |
| capucinum | " | 3 |
| gracillimum | " | 3 |
| nigritum | " | 3 |
| quadratum | " | 3 |
| virescens | " | 3 |
| viride | " | 3 |
| **Stenodesmia** | | |
| binervis | XVI | 9 |
| **Stenogramma** | | |
| interrupta | " | 8 |
| **Stephanocoelium** | | |
| pusillum | VII | 1 |
| verticillatum | " | 1 |
| **Stephanocomium** | | |
| adriaticum | XII | 5 |
| **Stereocladon** | | |
| Lyallii | VI | 19 |
| **Stichophora** | | |
| debilis | X | 26 |
| Hornschuchii | " | 25 |
| **Stichophyllum** | | |
| membranaceum | XVI | 4 |
| venosum | " | 4 |
| **Stictyosiphon** | | |
| adriaticus | VI | 18 |
| **Stigeoclonium** | | |
| amoenum | III | 2 |
| Biasolettianum | " | 1 |
| crassiusculum | " | 3 |
| debile | " | 2 |
| elongatum | " | 3 |
| falklandicum | " | 1 |
| fasciculare | " | 2 |
| fastigatum | " | 3 |
| flagelliferum | " | 3 |
| gracile | " | 2 |
| irregulare | " | 2 |
| longipilus | " | 2 |
| lubricum | " | 2 |
| plumosum | " | 3 |
| protensum | " | 3 |
| pusillum | " | 3 |
| radians | " | 2 |
| setigerum | " | 2 |
| stellare | " | 2 |

| | Vol. | pag. |
|---|---|---|
| **Stigeoclonium** | | |
| subsecundum | III | 1 |
| subspinosum | " | 1 |
| subuligerum | " | 2 |
| tenue | " | 1 |
| thermale | " | 1 |
| uniforme | " | 2 |
| variabile | " | 1 |
| **Stigonema** | | |
| atrovirens | II | 11 |
| informe | " | 11 |
| mammiferum | " | 11 |
| pannosum | " | 11 |
| polyceras | " | 11 |
| solidum | " | 11 |
| **Stilophora** | | |
| gracillima | VIII | 9 |
| **Stoechospermum** | | |
| maculatum | IX | 17 |
| marginatum | " | 17 |
| patens | " | 17 |
| Suhrii | " | 17 |
| **Striaria** | | |
| attenuata | " | 2 |
| fragilis | " | 2 |
| **Struvea** | | |
| delicatula | XVI | 1 |
| plumosa | VI | 31 |
| scoparia | XVI | 1 |
| **Stypocaulon** | | |
| bipinnatum | V | 29 |
| filare | " | 29 |
| funiculare | " | 29 |
| hordeaceum | " | 29 |
| scoparium | " | 29 |
| **Stypopodium** | | |
| atomaria | IX | 24 |
| attenuatum | " | 25 |
| ciliatum | " | 24 |
| fissum | " | 25 |
| flavum | " | 25 |
| fuliginosum | " | 25 |
| laciniatum | " | 26 |
| lobatum | " | 25 |
| Sinclairii | " | 27 |
| **Suhria** | | |
| lingulata | XVIII | 24 |
| **Symphyosiphon** | | |
| Bangii | II | 13 |
| cespitosus | " | 12 |
| Contarenii | " | 12 |

| | Vol. | pag. |
|---|---|---|
| **Symphyosiphon** | | |
| crustaceus | II | 12 |
| dentatus | " | 13 |
| gallicus | " | 12 |
| hirtulus | " | 13 |
| Hegetschweileri | " | 13 |
| Hofmanni | " | 13 |
| intertextus | " | 12 |
| javanicus | " | 13 |
| leucocephalus | " | 13 |
| pulvinatus | " | 12 |
| punctiformis | " | 12 |
| spongiosus | " | 12 |
| thelephoroides | " | 13 |
| vaporarius | " | 12 |
| velutinus | " | 12 |
| **Symphyothrix** | | |
| fragilis | I | 37 |
| fuscescens | " | 37 |
| Orsiniana | " | 37 |
| radians | II | 18 |
| thermalis | I | 37 |
| **Symploca** | | |
| cyanea | I | 43 |
| elegans | " | 43 |
| fasciculata | " | 43 |
| Flotowiana | " | 44 |
| Friesiana | " | 43 |
| hydnoides | " | 44 |
| lacustris | " | 43 |
| Lenormandiana | " | 43 |
| lucifuga | " | 43 |
| melanocephala | " | 43 |
| Meneghiniana | " | 43 |
| muralis | " | 43 |
| pulchra | " | 44 |
| Ralfsiana | " | 43 |
| rubra | " | 43 |
| scytonemacea | " | 44 |
| Wallrothiana | " | 43 |
| **Syringodium** | | |
| filiforme | XIX | 36 |
| **Tetraspora** | | |
| bullosa | I | 21 |
| crassa | " | 21 |
| cylindrica | " | 22 |
| explanata | " | 21 |
| fusca | " | 21 |
| gelatinosa | " | 21 |
| Godeyi | " | 22 |
| hyalopsis | " | 21 |

| | Vol. | pag. |
|---|---|---|
| Tetraspora | | |
| lubrica | I | 22 |
| natans | " | 21 |
| stereophysalis | " | 20 |
| ulvacea | " | 21 |
| valvulata | " | 21 |
| Thamnocarpus | | |
| cornutus | XVI | 19 |
| magellanicus | " | 20 |
| Mertensii | " | 19 |
| Thamnoclonium | | |
| hirsutum | XIX | 17 |
| Lemannianum | " | 18 |
| proliferum | " | 17 |
| Thamnophora | | |
| corallorhiza | XVI | 20 |
| disticha | XV | 11 |
| magellanica | XVI | 20 |
| Thermocoelium | | |
| minutum | VII | 36 |
| Thorea | | |
| americana | " | 36 |
| natalensis | VIII | 5 |
| ramosissima | VII | 36 |
| Thrombium | | |
| epigaeum | I | 8 |
| Thwaitesia | | |
| Duriaei | V | 6 |
| germanica | " | 6 |
| Thuretia | | |
| quercifolia | XII | 20 |
| Thysanocladia | | |
| coriacea | XIX | 11 |
| dorsifera | " | 11 |
| laxa | " | 11 |
| oppositifolia | " | 11 |
| serrata | " | 10 |
| Tilopteris | | |
| Mertensii | V | 25 |
| Tolypothrix | | |
| aegagropila | II | 9 |
| bicolor | " | 10 |
| Brebissonii | " | 9 |
| coactilis | " | 9 |
| distorta | " | 10 |
| flaccida | " | 9 |
| fuscescens | " | 9 |
| intricata | " | 10 |
| lanata | " | 9 |
| mucosa | " | 9 |
| Tolypothrix | | |
| muscicola | II | 9 |
| Naegelii | " | 10 |
| pulchra | " | 9 |
| pumila | " | 9 |
| pygmaea | " | 9 |
| tenuis | " | 9 |
| Trematocarpus | | |
| dichotomus | XIX | 27 |
| elongatus | XVIII | 2 |
| furcellatus | XIX | 27 |
| polychotomus | " | 27 |
| virgatus | " | 27 |
| Treptacantha | | |
| abies marina | X | 10 |
| gracillima | " | 10 |
| Montagnei | " | 11 |
| Sonderi | " | 11 |
| Turneri | " | 11 |
| Trichoceras | | |
| clavatum | XIII | 1 |
| pallidum | XII | 26 |
| pubescens | " | 26 |
| tasmanicum | " | 26 |
| transcurrens | " | 30 |
| villosum | " | 26 |
| Trichocystis | | |
| gigantea | I | 20 |
| Trichodesmium | | |
| Ehrenbergii | " | 49 |
| Hindsii | " | 49 |
| Trichodictyon | | |
| rupestre | I | 20 |
| Trichogloea | | |
| Requienii | VII | 37 |
| Trichopteris | V | 25 |
| Trichormus | | |
| incurvus | II | 5 |
| Trichothamnion | | |
| coccineum | XIV | 32 |
| gracile | " | 32 |
| hirsutum | " | 32 |
| pellucidum | " | 32 |
| Trigenea | | |
| australis | XVI | 20 |
| Turbinaria | | |
| condensata | X | 25 |
| conoides | " | 24 |
| decurrens | " | 24 |
| denudata | " | 24 |

| | Vol. | pag. |
|---|---|---|
| **Turbinaria** | | |
| gracilis | X | 25 |
| heterophylla | " | 25 |
| ornata | " | 24 |
| trialata | " | 24 |
| triquetra | " | 25 |
| **Udotea** | | |
| ciliata | VII | 7 |
| Desfontainii | " | 8 |
| flabellata | " | 8 |
| Halimeda | VIII | 11 |
| Mertensii | IX | 15 |
| Palmetta | VIII | 11 |
| **Ulothrix** | | |
| aequalis | II | 27 |
| albicans | " | 26 |
| attenuata | " | 28 |
| Braunii | " | 27 |
| cateniformis | " | 27 |
| compacta | " | 26 |
| crassa | " | 29 |
| " | " | 30 |
| crassiuscula | " | 30 |
| crenulata | " | 31 |
| crispa | " | 29 |
| delicatula | " | 30 |
| didyma | " | 28 |
| flaccida | " | 30 |
| fragilis | " | 30 |
| fusca | " | 31 |
| implexa | " | 30 |
| inaequalis | " | 28 |
| Jurgensii | " | 27 |
| Kochii | " | 27 |
| Lenormandi | " | 28 |
| minutula | " | 26 |
| moniliformis | " | 27 |
| muscicola | " | 28 |
| Naegeliana | " | 29 |
| nitens | " | 30 |
| obscura | " | 29 |
| oscillarina | " | 27 |
| pallescens | " | 26 |
| pallida | " | 27 |
| pallide virens | " | 26 |
| parasitica | " | 27 |
| parietina | " | 31 |
| pectinalis | " | 27 |
| radicans | " | 30 |
| rigidula | " | 28 |
| rivularis | " | 26 |

| | Vol. | pag. |
|---|---|---|
| **Ulothrix** | | |
| rupicola | II | 31 |
| speciosa | " | 29 |
| stagnorum | " | 27 |
| submarina | " | 30 |
| subtilis | " | 26 |
| tenerrima | " | 27 |
| tenuis | " | 27 |
| valida | " | 29 |
| varia | " | 31 |
| variabilis | " | 26 |
| varians | " | 29 |
| velutina | " | 31 |
| zonata | " | 28 |
| **Ulva** | | |
| aponina | VI | 6 |
| byssoides | II | 32 |
| gelatinosa | VI | 11 |
| Godeyi | I | 22 |
| Lactuca | VI | 6 |
| latissima | " | 7 |
| mucosa | " | 7 |
| obscura | " | 6 |
| oxycocca | " | 6 |
| parvula | " | 7 |
| quaternaria | " | 6 |
| tenella | " | 6 |
| trichophylla | " | 7 |
| **Valonia** | | |
| Aegagropila | VI | 30 |
| Cladophora | XVI | 1 |
| incrustans | VI | 30 |
| intricata | " | 31 |
| macrophysa | " | 30 |
| pusilla | " | 30 |
| siphunculus | " | 30 |
| utricularis | " | 30 |
| Uvaria | " | 30 |
| verticillata | " | 30 |
| **Vanvoorstia** | | |
| spectabilis | XIX | 21 |
| **Vaucheria** | | |
| cespitosa | VI | 22 |
| circinalis | " | 21 |
| clavata | " | 23 |
| dichotoma | " | 20 |
| Dillwynii | " | 20 |
| fuscescens | " | 20 |
| geminata | " | 21 |
| hamata | " | 22 |
| hamulata | " | 22 |

| | Vol. | pag. |
|---|---|---|
| **Vaucheria** | | |
| Hookeri | VI | 21 |
| javanica | " | 20 |
| litorea | " | 23 |
| maritima | " | 23 |
| multicornis | " | 21 |
| ornithocephala | " | 21 |
| Pilus | " | 24 |
| polysperma | " | 21 |
| pyrifera | " | 20 |
| racemosa | " | 22 |
| repens | " | 21 |
| rostellata | " | 21 |
| sacculifera | " | 22 |
| salina | " | 24 |
| sericea | " | 20 |
| sessilis | " | 21 |
| sphaerocarpa | " | 21 |
| submarina | " | 20 |
| trifurcata | " | 24 |
| trigemina | " | 22 |
| tuberosa | " | 23 |
| uncinata | " | 21 |
| verticillata | " | 23 |
| vesiculosa | " | 24 |
| **Warrenia** | | |
| comosa | XII | 13 |
| **Wrangelia** | | |
| comosa | " | 13 |
| dasyclada | " | 13 |
| penicillata | " | 13 |
| tenera | " | 13 |
| **Wurdemannia** | | |
| setacea | XIX | 9 |
| **Xiphophora** | | |
| Billardierii | X | 3 |
| **Zonaria** | | |
| ambigua | IX | 30 |
| anglica | " | 28 |
| Antillarum | " | 29 |
| collaris | " | 31 |
| Commersonii | " | 29 |
| Diesingiana | " | 31 |
| Fraseri | " | 30 |
| gymnospora | " | 29 |
| interrupta | " | 28 |
| latissima | " | 30 |
| marginata | " | 17 |
| Martii | " | 15 |
| microphylla | " | 28 |
| multipartita | " | 21 |

| | Vol. | pag. |
|---|---|---|
| **Zonaria** | | |
| neapolitana | IX | 28 |
| nigrescens | " | 20 |
| parvula | " | 31 |
| Pavonia | " | 28 |
| reptans | " | 31 |
| rugosa | XIX | 32 |
| Schimperi | IX | 30 |
| Sehroederi | " | 21 |
| Sinclairii | " | 27 |
| stuposa | " | 26 |
| tenuis | " | 29 |
| umbilicalis | " | 31 |
| variegata | " | 30 |
| velutina | " | 21 |
| **Zygnema** | | |
| affine | V | 5 |
| bifarium | " | 10 |
| Brebissonii | " | 5 |
| cruciatum | " | 6 |
| Dillwynii | " | 5 |
| insigne | " | 5 |
| rivulare | " | 8 |
| stellinum | " | 5 |
| subtile | " | 5 |
| tenue | " | 5 |
| Vaucheri | " | 5 |
| **Zygogonium** | | |
| aequale | " | 5 |
| affine | " | 4 |
| anomalum | " | 5 |
| conspicuum | " | 4 |
| crassum | " | 5 |
| cruciatum | " | 4 |
| decussatum | " | 4 |
| delicatulum | " | 3 |
| ericetorum | " | 3 |
| gracile | " | 4 |
| hercynicum | " | 4 |
| immersum | " | 4 |
| laeve | " | 4 |
| lutescens | " | 5 |
| nivale | " | 5 |
| parvulum | " | 4 |
| pectinatum | " | 5 |
| peruvianum | " | 4 |
| pleurospermum | " | 4 |
| Ralfsii | " | 4 |
| salinum | " | 4 |
| scalare | " | 2 |
| tenue | " | 4 |
| torulosum | " | 4 |

*Druck von Fr. Eberhardt in Nordhausen.*

Digitized with financial assistance from

Government of Maharashtra

on 30 January, 2020